Journal of Applied Polymer Science

Author Index to Volume 96

Abdiryim, T.
—; Xiao-Gang, Z.; Jamal, R.: Synthesis and Characterization of Poly(*o*-Toluidine) Doped with Organic Sulfonic Acid by Solid-State Polymerization, 1630
Abidi, N.
—; Hequet, E.; Turner, C.; Sari-Sarraf, H.: FTIR Analysis of Crosslinked Cotton Fabric Using a ZnSe–Universal Attenuated Total Reflectance, 392
Abilov, Z. A. See Zhumagalieva, S. N., 1183; Zhumagalieva, S. N., 1187
Abraham, S. See Chacko, A., 1897
AbuTaleb, M. F. See El-Aal, S. E. A., 753
Adachi, M. See Morita, T., 1250
Adachi, T. See Araki, W., 51
Adhikari, R. See Simon, P., 1573
Agnihotri, S. A.
—; Kulkarni, R. V.; Mallikarjuna, N. N.; Kulkarni, P. V.; Aminabhavi, T. M.: Electrically Modulated Transport of Diclofenac Salts Through Hydrogels of SodiumAlginate, Carbopol, and Their Blend Polymers, 301
Ahmetli, G.
—; Yazicigil, Z.; Kocak, A.; Kurbanli, R.: Effects of Different Molecular Weights of Polystyrene on the Acylation Reaction and on the Reaction Kinetics, 253
Ahn, C. J. See Myung, B. Y., 1801
Ai, Z.-Q.
—; Zhou, Q.-L.; Guang, R.; Zhang, H.-T.: Preparation and Properties of Polystyrene-*g*-Poly(butyl acrylate) Copolymer Emulsions with Ultrasonic Radiation. I. Preparation Technology and Coagulum Ratio, 1405
Aiob, A. See Mostafa, N., 638
Akar, A. See Kişkan, B., 1830
Akovali, G. See Dara, I. H., 1222; Ünver, A., 1654
Alberola, N. D. See Vouyovitch, L., 1368
Aldi, A. See Sannino, A., 1675
Ali, A. E.-H. See Hassan, M. M., 1741
Ali, Z. I.
—; Legocka, I.: Electron-Beam Irradiation of Low-Density Polyethylene in the Presence of Phenolic Stabilizer, Carboxylic Acid Stabilizer, or Both, 1275
Allen, N. S. See Santamaría, E., 122
AlObaidi, F.
—; Zhu, S.: Synthesis of Reactor Blend of Linear and Branched Polyethylene Using Metallocene/Ni-Diimine Binary Catalyst System in a Single Reactor, 2212
Al-Turaif, H. A. See Wazzan, A. A., 1682
Alvarez, J. See Infante, R., 475
Aminabhavi, T. M. See Agnihotri, S. A., 301; Naidu, B. V. K., 1968; Swamy, B. K. K., 874; Wali, A. C., 1996
Amirshaghaghi, A. See Mehdipour-Ataei, S., 570
An, L. See Yuan, Q., 1729
Andersson, T.
—; Wesslén, B.: Degradation of Low-Density Polyethylene During Extrusion. VI. Effects of Oxygen Content in Air Gap, 1767
Ankara, A. See Dara, I. H., 1222
Araki, W.
—; Asahi, D.; Adachi, T.; Yamaji, A.: Time–Temperature Dependency of Mode II Fracture Toughness for Bisphenol A Type Expoxy Resin, 51
Aralaguppi, M. I. See Kittur, A. A., 1377
Asahi, D. See Araki, W., 51
Askadskii, A. A. See Lopatin, V. V., 1043
Aydoğdu, S. See Gök, A., 746

Badgujar, N. See Mishra, S., 6
Baharin, A. See Manroshan, S., 1550
Bai, L. See Liu, Y., 2139
Ballav, N.
—; Biswas, M.: Oxidative Polymerization of Aniline and Pyrrole by Isopolymetallates of Vanadium, 1483
Banerjee, S. See Salunke, A. K., 1292
Bang, E. Y. See Park, H. R., 650
Banthia, A. K. See Kar, S., 2446
Baran, G. R. See Debnath, S., 1564
Basan, S. See Boztuğ, A., 1635
Basu, D. K. See Das, A., 1492
Baumann, F. E.
—; Haeger, H.; Novikova, O.; Oenbrink, G.; Richter, R.; Finke, M.: Synthesis and Characterization of Star-Branched PA12 Grafted Onto PEi Core Molecule, 2413
Bechtold, T. See Kongdee, A., 1421
Beisebekov, M. K. See Zhumagalieva, S. N., 1183, 1187
Bessede, J.-L. See Vouyovitch, L., 1368
Bhat, G. S. See Subbiah, T., 557
Bhat, S. D. See Naidu, B. V. K., 1968
Bhave, N. S. See Jadhao, M. M., 1605
Bhowmick, A. K. See Maiti, M., 443
Biswas, M. See Ballav, N., 1483; Maity, A., 276
Bocchino, M. See Correnti, A., 1716
Boeman, R. G. See Jacob, G. C., 899
Borisevich, O. B. See Kim, T.-J., 927
Boztuğ, A.
—; Zengin, H. B.; Basan, S.: Determination of Gelation Temperature of Poly(Vinyl Chloride) by Thermomechanical and Thermogravimetric Parameters, 1635
Brar, A. S.
—; Pradhan, D. R.; Hooda, S.: Compositional and Configurational Sequence Determination of Methacrylonitrile–Vinylidene Chloride Copolymers by Nuclear Magnetic Resonance Spectroscopy, 1865
Brumen, M. See Stropnik, C., 1667
Bryantseva, I. S. See Kim, T.-J., 927
Budrugeac, P.
—; Zaharescu, T.; Marcuta, M.; Marin, G.: Accelerated Electron Effects on EVA Based Compound, 613
Buruiana, E. C. See Buruiana, T., 577
—; Melinte, V.; Buruiana, T.; Simionescu, B. C.: Synthesis and Properties of New Polyurethanes with Triazene Moieties in the Main Chain, 385
Buruiana, T. See Buruiana, E. C., 385
—; Buruiana, E. C.: Poly(etherurethane) Anionomers with Azobenzene Carboxylate Groups: Synthesis and Properties, 577

Cadenato, A. See Lluch, A. V., 358
Cai, Z. See Yang, H., 2454
Can, H. K.
—; Doğan, A. L.; Rzaev, Z. M. O.; Uner, A. H.; Güner, A.: Synthesis and Antitumor Activity of Poly(3,4-dihydro-2H-pyran-*co*-maleic anhydride-*co*-vinyl acetate), 2352
Cao, C. See Lv, Q., 2168
Cao, L.-Q.
—; Xu, S.-M.; Feng, S.; Wang, J.-D.: Swelling and Thermal Behaviors of a Starch-Based Superabsorbent Hydrogel with Quaternary Ammonium and Carboxyl Groups, 2392
Carr, C. M. See Shao, J., 1999
Castro-Díaz, C. See Fraga, F., 1591
Caton-Rose, P. See Sweeney, J., 2105
Cha, D. I.
—; Kim, H. Y.; Lee, K. H.; Jung, Y. C.; Cho, J. W.; Chun, B. C.: Electrospun Nonwovens of Shape-Memory Polyurethane Block Copolymers, 460
Cha, G. C. See Song, J. S., 1095
Chacko, A.
—; Devi, R.; Abraham, S.; Mathew, B.: A Comparison of the Oxidizing Ability of Polystyrene-Supported Linear and Cyclic Polyoxyethylene Bound Permanganates, 1897
Chakraborty, B. C. See Manoj, N. R., 1487
Chakraborty, J. See Vijayalakshmi, S. P., 2090
Chan, H. L. W. See Wong, Y. W., 1662
Chan, M. H. See Hsaing, M. L., 103
Chand, N. See Hashmi, S. A. R., 550
Chang, C.-C. See Wang, H.-H., 2324
Chang, C. H. See Hsaing, M. L., 103
Chang, K. See Jeong, S., 1388
Chao, D. Y. See Hsaing, M. L., 103
Chaochanchaikul, K. See Sombatsompop, N., 213
Chatterjee, A.
—; Deopura, B. L.: High Modulus/Tenacity Filaments from Blends of Different Molecular Weights of Polypropylene, 1021
Chattopadhyay, D. K. See Sreedhar, B., 1313
Chaudhuri, K. K. See Padmavathi, G., 1611
Chen, C.-C. See Wang, C.-C., 70
Chen, G. See Li, Y., 379
—; Zhu, X.; Cheng, Z.; Lu, J.: Synthesis and Characterization of Poly(vinyl chloride-*co*-vinyl acetate)-*graft*-Poly[(meth)acrylates] by Atom Transfer Radical Polymerization, 183
Chen, J.-L. See Cui, Z.-F., 1734
Chen, L. See Wen, H.-L., 489
—; Dong, J.; Ding, Y.; Han, W.: Environmental Responses of poly(*N*-isopropylacrylamide-*co*-glycidyl methacrylate derivatized dextran) Hydrogels, 2135
—; Li, S.-G.; Zhao, Y.-P.; Wang, Y.-C.; Wang, Q.-W.: Photoresponses and pH Responses of Hydrogels Composed of Acrylamido Azobenzene and Acrylic Acid, 2163
Chen, L.-P.
—; Hsu, K.-C.: Amphoteric Water-Soluble Copolymer for Barium Titanate Slurries. I. Synthesis and Dispersing Ability, 1443
Chen, P. See Luo, W., 1341
Chen, X.
—; Liu, J.; Feng, Z.; Shao, Z.: Macroporous Chitosan/Carboxymethylcellulose Blend Membranes and Their Application for Lysozyme Adsorption, 1267
Chen, Y. See Qi, Y., 846; Zeng, Z., 1930
Chen, Y.-C. See Yang, C.-P., 2399
Chen, Y.-L. See Shen, M.-M., 1329
Chen, Y.-M. See Huang, X., 2360
Cheng, B.
—; Wang, Y.; Du, Q.: Novel, Positively Charged Membrane from a Blending, Crosslinking, and Coagulation Procedure, 1847
Cheng, C. See Tang, R., 1259
Cheng, G. See Xing, F., 2225
Cheng, L.-P. See Shih, C.-H., 944
Cheng, R. See Xie, H., 329; Yang, H., 2454; Yin, W., 583
Cheng, Y. B. See Hussain, M., 112
Cheng, Z. See Chen, G., 183
Cho, J. W. See Cha, D. I., 460
Choi, H. J. See Choi, S. B., 1924
Choi, J.-I. See Kim, S.-W., 1347
Choi, K. S. See Ryu, J. H., 2287
Choi, K.-Y. See Choi, S. M., 2300
Choi, S. B.
—; Choi, H. J.; Choi, Y. T.; Wereley, N. M.: Preparation and Mechanical Characteristics of Poly(methylaniline) Based Electrorheological Fluid, 1924
Choi, S. M.
—; Kim, K. J.; Choi, K.-Y.; Yi, M. H.: Synthesis and Characterization of Negative-Type Photosensitive Polyimides Based on Cyclobutane-1,2,3,4-Tetracarboxylic Dianhydride, 2300
Choi, S. Y. See Song, J. S., 1095
Choi, Y. T. See Choi, S. B., 1924
Chough, S. H. See Park, H. R., 650
Choy, C. L. See Wong, Y. W., 1662
Christiansen, J. D. See Yuan, Q., 1729
Chun, B. C. See Cha, D. I., 460
Chung, I. See Xie, D., 1979
Cid, R. See Rivas, B. L., 222
Cisneros, A. See Infante, R., 475
Coates, P. D. See Sweeney, J., 2105
Collier, R. See Richez, A., 2053
Colombini, D. See Ljungberg, N., 992
Correnti, A.
—; Bocchino, M.; Filippi, S.; Magagnini, P. L.; Polacco, G.; La Mantia, F. P.: Recycling of Inside Upholstery of End-ot-Life Cars, 1716
Cui, Z.-F.
—; Guan, Y.-X.; Chen, J.-L.; Yao, S.-J.: Thermosensitive Poly(*N*-isopropylacrylamide) Hydrogel for Refolding of Recombinant Bovine Prethrombin-2 from *E. coli* Inclusion Bodies, 1734
Cunningham, M. F. See Lenzi, M. K., 1950

Dabke, S. P. See Padmavathi, G., 1611
Dan, Y. See Liu, S., 2280
Daniel, I. M. See Miyagawa, H., 281
Daous, M. A. See Wazzan, A. A., 1682
Dara, I. H.
—; Ankara, A.; Akovali, G.; Suzer, S.: Heat-Damage Assessment of Carbon-Fiber-Reinforced Polymer Composites by Diffuse Reflectance Infrared Spectroscopy, 1222
Das, A.
—; Basu, D. K.: Evaluation of Physical and Dielectric Properties of Chloroprene and Styrene Butadiene Rubber Blends, 1492
da Silva, E. P.
—; Tavares, M. I. B.; Fraga, L. A.; Kaplan, M. A. C.: Evaluation of the Diethylene Glycol Bis(allyl carbonate)/Acrylic Acid Copolymer Behavior by Solid-State ^{13}C-NMR, 740
da Silva, R. C. See Filho, G. R., 516
da Silva Meireles, C. See Filho, G. R., 516
Datt, S. C. See Ramrakhiani, M., 1835

de Assunção, R. M. N. See Filho, G. R., 516
—; Royer, B.; Oliveira, J. S.; Filho, G. R.; de Castro Motta, L. A.: Synthesis, Characterization, and Application of the Sodium Poly(styrenesulfonate) Produced from Waste Polystyrene Cups as an Admixture in Concrete, 1534
Debnath, S.
—; Ranade, R.; Wunder, S. L.; Baran, G. R.; Zhang, J.; Fisher, E. R.: Chemical Surface Treatment of Ultrahigh Molecular Weight Polyethylene for Improved Adhesion to Methacrylate Resins, 1564
de Castro Motta, L. A. See de Assunção, R. M. N., 1534
De Kee, D. See Puri, P., 1200
Deleuze, H. See Richez, A., 2053
Delmotte, L. See Na, B., 1231
Deng, K. See Liu, Y., 2139
Deopura, B. L. See Chatterjee, A., 1021
Dessouki, A. M. See El-Aal, S. E. A., 753
Devi, R. See Chacko, A., 1897
Devi, S. See Shukla, S. P., 1544
Dilsiz, N. See Ünver, A., 1654
Ding, Y. See Chen, L., 2435; Yin, W., 583
Doğan, A. L. See Can, H. K., 2352
Doğantekin, B. See Işik, B., 1783
Dong, J. See Chen, L., 2435
Drzal, L. T. See Miyagawa, H., 281
Du, Q. See Cheng, B., 1847
Du, R. See Peng, Y., 1816
Du, Y. See Fan, L., 1625
Du, Y.-m. See Wang, Q., 808
Dumon, M. See Naffakh, M., 660
Dupuy, J. See Naffakh, M., 660
Durant, Y. G. See Guo, W., 829
Dwivedi, U. K. See Hashmi, S. A. R., 550

Echeverria, I.
—; Silva, I.; Goñi, I.; Gurruchaga, M.: Ethyl Methacrylate Grafted on Two Starches as Polymeric Matrices for Drug Delivery, 523
Edge, M. See Santamaría, E., 122
El-Aal, S. E. A.
—; Hegazy, E.-S. A.; AbuTaleb, M. F.; Dessouki, A. M.: Radiation Synthesis of Copolymers for Adsorption of Dyes from Their Industrial Wastes, 753
Elassar, A.-Z. A. See Jeragh, B. J. A., 1839
El-Dissouky, A. See Jeragh, B. J. A., 1839
El-Hami, K.
—; Matsushige, K.: Lamellae Orientation Effect on Local Polarized Domain in P(VDF/TrFE) Copolymer: Application in Data Storage, 1410
Eliassi, A. See Taghizadeh, M., 1059
El-Zaher, N. A.
—; Osiris, W. G.: Thermal and Structural Properties of Poly(Vinyl Alcohol) Doped with Hydroxypropyl Cellulose, 1914
Endo, T. See Morikawa, H., 372; Suzuki, K., 1943

Faghihi, K.
—; Naghavi, H.: New Poly(amide imide)s Containing Bis(4-trimellitimidophenyl) Sulfone and Hydantoin Moieties in the Main Chain: Synthesis and Properties, 1776
Fambri, L. See Kolařík, J., 673
Fan, L.
—; Du, Y.; Huang, R.; Wang, Q.; Wang, X.; Zhang, L.: Preparation and Characterization of Alginate/Gelatin Blend Fibers, 1625
Fan, L.-h. See Wang, Q., 808
Fang, J. M.
—; Fowler, P. A.; Hill, C. A. S.: Studies on the Grafting of Acryloylated Potato Starch with Styrene, 452
Fang, Y. See Luo, W., 1341
Fang, Z. See Feng, Y., 632; Xu, Y., 2429
Felipe, A. M. See Lluch, A. V., 358
Fellers, J. F. See Jacob, G. C., 899
Feng, S. See Cao, L.-Q., 2392
Feng, Y.
—; Fang, Z.; Mao, W.; Gu, A.: Study on the Structure and Properties of Cyanate Ester/Bentonite Nanocomposites, 632
Feng, Z. See Chen, X., 1267
Ferreira, O. P. See Rinaldi, A. W., 1710
Filho, G. R. See de Assunção, R. M. N., 1534
—; da Silva, R. C.; da Silva Meireles, C.; de Assunção, R. M. N.; Otaguro, H.: Water Flux through Blends from Waste Materials: Cellulose Acetate (from Sugar Cane Bagasse) with Polystyrene (from Plastic Cups), 516
Filippi, S. See Correnti, A., 1716
Finke, M. See Baumann, F. E., 2413
Fisher, E. R. See Debnath, S., 1564
Flandin, L. See Vouyovitch, L., 1368
Foo, K. H. See Miyagawa, H., 281
Fotheringham, A. F. See Yang, R., 144
Fowler, P. A. See Fang, J. M., 452
Fraga, F.
—; Castro-Díaz, C.; Rodríguez-Núñez, E.; Martínez-Ageitos, J. M.: Kinetic Analysis of Relaxation Process for the Epoxy Network Diglycidyl Ether of Bisphenol A/*m*-Xylylenediamine, 1591
Fraga, L. A. See da Silva, E. P., 740
Freeman, B. See Gustin, J., 2309
Frulloni, E.
—; Salinas, M. M.; Torre, L.; Mariani, A.; Kenny, J. M.: Numerical Modeling and Experimental Study of the Frontal Polymerization of the Diglycidyl Ether of Bisphenol A/Diethylenetriamine Epoxy System, 1756
Fu, Q. See Peng, Y., 1816
Fu, R. See Wu, D., 1429
Fukuda, N.
—; Tsuji, H.: Physical Properties and Enzymatic Hydrolysis of Poly(L-lactide)–TiO_2 Composites, 190

Galina, H. See Oleksy, M., 793
Gao, B.
—; Wu, N.; Li, Y.: Interaction between the Strong Anionic Character of Strong Anions and the Hydrophobic Association Property of Hydrophobic Blocks in Maromolecular Chains of a Water-Soluble Copolymer, 714
Gao, Y. See Zhang, J., 818
Gao, Z.
—; Schulze, J.; Nahrup, J. S.; Mark, J. E.; Sakr, A.: Poly(Dimethylsiloxane) Coatings for Controlled Drug Release. III. Drug Release Profiles and Swelling Properties of the Free-Standing Films, 494
García-López, D.
—; Merino, J. C.; Gobernado-Mitre, I.; Pastor, J. M.: Polarized Confocal Raman Microspectroscopy Studies of Chain Orientation on Injected Poly(propylene)/Montmorillonite Nanocomposites, 2377
Gavara, R. See López-Rubio, A., 2192
Geckeler, K. E. See Rivas, B. L., 222
Geetha, S.
—; Kumar, K. K. S.; Trivedi, D. C.: Improved Method to Graft Polyaniline on E-Glass Fabric to

Enhance Its Electronic Conductivity, 2316
George, B. See Pizzi, A., 655
Gérard, J.-F. See Naffakh, M., 660
Gimenez, E. See López-Rubio, A., 2192
Girotto, E. M. See Rinaldi, A. W., 1710; Venter, S. A. S., 2273
Głowacz-Czerwonka, D.
—; Kucharski, M.: New Melamine–Formaldehyde–Ketone Polymers. II. Dissolution of Melamine in Reactive Solvents Prepared from Cyclohexanone, 77
Gobernado-Mitre, I. See García-López, D., 2377
Gohil, G. S. See Nagarale, R. K., 2344
Gök, A.
—; Koçak, E.; Aydoğdu, S.: Synthesis and Characterization of PT/PS/SiO_2 Nanocomposite in Nonaqueous Medium by Chemical Method, 746
Golob, J. See Hace, I., 345
Gómez-Barreiro, S. See Núñez-Regueira, L., 2027
Goñi, I. See Echeverria, I., 523
González, L. See Valentín, J. L., 1
Gopakumar, T. G.
—; Pagé, D. J. Y. S.: Compounding of Nanocomposites by Thermokinetic Mixing, 1557
Gracia-Fernández, C. A. See Núñez-Regueira, L., 2027
Graf, R. See Martina, A. D., 407
Greus, A. R. See Lluch, A. V., 358
Gryte, C. C. See Shih, C.-H., 944
Gu, A. See Feng, Y., 632
Gu, G. See Li, F., 912
Guan, Y.-P. See Ma, Z.-Y., 2174
Guan, Y.-X. See Cui, Z.-F., 1734
Guang, R. See Ai, Z.-Q., 1405
Güner, A. See Can, H. K., 2352; Tayfur, M., 1985
Guo, M.
—; Liu, M.; Hu, Z.; Zhan, F.; Wu, L.: Preparation and Properties of a Slow Release NP Compound Fertilizer with Superabsorbent and Moisture Preservation, 2132
Guo, S. See Li, Y., 379
Guo, W.
—; Durant, Y. G.; Wang, J.; Wu, C.: Double-Shell Surface Modifications of Large Poly(methyl methacrylate) Spheres, 829
Guo, Z. See Zhao, J., 1011
Gupta, A.
—; Singhal, R.; Nagpal, A. K.: Reactive Blends of Epoxy Resin (DGEBA) Crosslinked by Anionically Polymerized Polycaprolactam. II. Mechanical and Electrical Properties, 537
Gurav, K. See Mishra, S., 6
Gurruchaga, M. See Echeverria, I., 523
Gustin, J.
—; Freeman, B.; Stone, J.; Mahinfalah, M.; Salehi-Khojin, A.: Low-Velocity Impact of Nanocomposite and Polymer Plates, 2309

Ha, C.-Y. See Shen, M.-M., 1329
Hace, I.
—; Golob, J.; Krajnc, M.: Kinetics and Modeling of Diethylene Glycol Bisallyl Carbonate Bulk Polymerization, 345
Haeger, H. See Baumann, F. E., 2413
Haghighat, M.
—; Zadhoush, A.; Khorasani, S. N.: Physicomechanical Properties of α-Cellulose–Filled Styrene–Butadiene Rubber Composites, 2203
Halim, S. F. See Lawandy, S. N., 2440
Halligudi, S. B. See Naidu, B. V. K., 1968; Wali, A. C., 1996
Han, K. See Xiao, W., 2247
Han, W. See Chen, L., 2435
Hao, A. See Wu, G., 1029
Harvey, H. B. See Santamaría, E., 122
Hashmi, S. A. R.
—; Dwivedi, U. K.; Jain, D.; Naik, A.; Chand, N.: Graphite–Epoxy Graded Material by Centrifugation, 550
Hassan, M. M.
—; Ali, A. E.-H.; Mahoud, G. A.; Hegazy, E.-S. A.: Synergistic Effect of Short Reinforced Fibers and Gamma Rays on the Thermal and Mechanical Properties of Waste Poly(propylene) Composites, 1741
Hato, M. J. See Luyt, A. S., 1748
He, F. See Wu, G., 1029
He, L. See Yang, C., 20
He, X.-Z.
—; Zhang, B.-Y.; Meng, F.-B.; Lin, J.-R.: Effect of the Length of the Carbochain on the Phase Behavior of Side-Chain Cholesteric Liquid-Crystalline Elastomers, 1204
Hegazy, E.-S. A. See El-Aal, S. E. A., 753; Hassan, M. M., 1741
Heinze, T. See Khullar, R., 1477
Heneczkowski, M. See Oleksy, M., 793
Hequet, E. See Abidi, N., 392
Hernández-Muñoz, P. See López-Rubio, A., 2192
Hilal, N. See Mohammad, A. W., 605
Hilborn, J. G. See Martina, A. D., 407
Hill, C. A. S. See Fang, J. M., 452
Hinestroza, J. See Puri, P., 1200
Hirano, H.
—; Watase, S.; Tanaka, M.: Linear Polymers with Sulfur in the Main Chain III. Synthesis of Polythioesters by Polycondensation of bis(4,4′-mercaptophenyl)sulfide with Various Acid Dichlorides and Their Properties, 508
Hirotsu, T. See Otsuki, T., 1176
Hodzic, A. See Houshyar, S., 2260
Hon, M.-H. See Wang, J.-W., 1083
Hong, K. H.
—; Oh, K. W.; Kang, T. J.: Preparation of Conducting Nylon-6 Electrospun Fiber Webs by the *In Situ* Polymerization of Polyaniline, 983
Hong, K.-J. See Lee, M.-Y., 44
Honma, H. See Sugimoto, M., 837
Hooda, S. See Brar, A. S., 1865
Horiuchi, H. See Sawada, H., 1467
Hou, C.
—; Qu, R.-j.; Liang, Y.; Wang, C.-g.: Kinetics of Diffusion in Polyacrylonitrile Fiber Formation, 1529
—; Qun, W.; Qu, R.-J.; Wang, C.-G.: Kinetic Study of the Degradation of Acrylonitrile–Acrylamide Copolymers, 1017
—; Sun, C.-f.; Ying, L.; Wang, C.-g.: Monte Carlo Simulation of Sequence Distributions of Acrylonitrile Copolymers, 483
Houshyar, S.
—; Shanks, R. A.; Hodzic, A.: The Effect of Fiber Concentration on Mechanical and Thermal Properties of Fiber-Reinforced Polypropylene Composites, 2260
Hsaing, M. L.
—; Chang, C. H.; Chan, M. H.; Chao, D. Y.: A Study of Polyurethane Ionomer Dispersant, 103
Hsiao, C. N.
—; Huang, K. S.: Synthesis, Characterization, and Applications of Polyvinylpyrrolidone/SiO_2 Hybrid Materials, 1936
Hsieh, C.-D. See Liu, J.-H., 1505
Hsu, K.-C. See Chen, L.-P., 1443

Hsu, W.-P.
—; Phase Behavior of Ternary Polymer Blends with Favorable Interactions, 2064
Hu, H. See Xiao, W., 2247
Hu, N.-H. See Yu, X.-Y., 169
Hu, T.-X. See Meng, F.-B., 625
Hu, W.
—; Liu, B.; Wu, W.; Jiang, Z.; Zhang, W.; Wu, Z.; Toshihiko, M.: Physical Aging Behavior of 6F-PEEK and *m*-TPEEK Studied by Modulated Differential Scanning Calorimetry, 312
Hu, Z. See Guo, M., 2132
Huang, A.
—; Xiao, C.; Zhuang, L.: Synthesis and Characterization of Quaternized Poly(4-vinylpyridine-*co*-styrene) Membranes, 2146
Huang, B. H. See Lin, J. J., 29
Huang, H.-X.
—; Lu, S.: Modeling Parison Formation in Extrusion Blow Molding by Neural Networks, 2230
Huang, J.-M. See Kuan, H.-C., 2383
Huang, K. S. See Hsiao, C. N., 1936
Huang, R. See Fan, L., 1625
Huang, W. See Wang, B., 2117
Huang, X.
—; Yu, H.; Zhu, M.-F.; Chen, Y.-M.: Blends of Polypropylene and Modified Polystyrene for Dyeable Fibers, 2360
Huang, Y. See Zhang, Y., 2038; Zhou, X., 1648
Hui, N. M. See Wong, Y. W., 1662
Hussain, M.
—; Varely, R.; Cheng, Y. B.; Mathys, Z.; Simon, G. P.: Synthesis and Thermal Behavior of Inorganic–Organic Hybrid Geopolymer Composites, 112
Hwang, H.-J.
—; Li, C.-H.; Wang, C.-S.: Dielectric Behavior and Properties of a Cyanate Ester Containing Dicyclopentadiene. I, 2079

Idicula, M.
—; Neelakantan, N. R.; Oommen, Z.; Joseph, K.; Thomas, S.: A Study of the Mechanical Properties of Randomly Oriented Short Banana and Sisal Hybrid Fiber Reinforced Polyester Composites, 1699
Infante, R.
—; Cisneros, A.; Rivera, C.; Alvarez, J.: Barocalorimetric Technique for Monitoring Pressurized Copolymer Reactors, 475
Ishak, Z. A. M. See La Mantia, F. P., 1906
Ishii, H. See Jin, X., 1619
Ishizu, K.
—; Ohta, Y.; Kawauchi, S.: Degree of Branching of Hyperbranched Polystyrenes via a Controlled Radical Mechanism of an Inimer: Determination by a Kinetic Approach, 1810
Işik, B.
—; Doğantekin, B.: Swelling Behavior of Poly(acrylamide-*co*-*N*-vinylimidazole) Hydrogels under Different Environment Conditions, 1783
Ismail, H.
—; Supri; Yusof, A. M. M.: Effect of Acrylic Acid on the Properties of Recycled Poly(vinyl chloride)/Acrylonitrile–Butadiene Rubber Blends, 2181
Itamura, Y. See Kawaguchi, Y., 1306

Jacob, G. C.
—; Starbuck, J. M.; Fellers, J. F.; Simunovic, S.; Boeman, R. G.: The Effect of Loading Rate on the Fracture Toughness of Fiber Reinforced Polymer Composites, 899
Jadhao, M. M.
—; Paliwal, L. J.; Bhave, N. S.: Resin I: Synthesis and Characterization of 2,2′-Dihydroxybiphenyl–Urea–Formaldehyde Terpolymers, 1605
Jagadish, R. S. See Raj, B., 1193
Jain, D. See Hashmi, S. A. R., 550
Jalali-arani, A.
—; Katbab, A. A.; Nazockdast, H.: Thermomechanical Reactive Blending of Silicone Rubber and LLDPE: Effects of Processing Parameters, 155
Jamal, R. See Abdiryim, T., 1630
Janda, N. B.
—; Keith, J. M.; King, J. A.; Perger, W. F.; Oxby, T. J.: Shielding-Effectiveness Modeling of Carbon-Fiber/Nylon-6,6 Composites, 62
Jara, M. A. See Rivas, B. L., 222
Jayaraman, K. See Patham, B., 423
Jeon, I.-R. See Kim, S.-W., 1347
Jeong, S.
—; Chang, K.; Lee, K.; Kim, S. I.: Effect of Ionic Salts on the Processing of Poly(2-acrylamido-2-methyl-1-propane sulfonic acid) Nanofibers, 1388
Jeragh, B. J. A.
—; Elassar, A.-Z. A.; El-Dissouky, A.: Ligating Behavior and Metal Uptake of N-Sulphonylpolyamine Chelating Resins Anchored on Polystyrene-Divinylbenzene Beads, 1839
Ji, B. C. See Lyoo, W. S., 967
Jiang, P. See Li, Q., 854
Jiang, P.-K. See Su, Z.-P., 162
Jiang, S. Q.
—; Newton, E.; Yuen, C. W. M.; Kan, C. W.: Chemical Silver Plating and Its Application to Textile Fabric Design, 919
Jiang, W. See Yuan, Q., 1729
Jiang, Z. See Hu, W., 312
Jin, G.-X. See Yu, X.-Y., 169
Jin, X.
—; Ishii, H.: A Novel Positive-Type Photosensitive Polyimide Having Excellent Transparency Based on Soluble Block Copolyimide with Hydroxyl Group and Diazonaphthoquintone, 1619
Johnson, M. T.
—; Komane, L. L.; N'Da, D. D.; Neuse, E. W.: Polymeric Drug Carriers Functionalized with Pairwise Arranged Hydroxyl and/or Carboxyl Groups for Platinum Chelation, 10
Joseph, K. See Idicula, M., 1699
Jung, S. H. See Song, J. S., 1095
Jung, Y. C. See Cha, D. I., 460

Kaiser, V. See Stropnik, C., 1667
Kajiuchi, T. See Lee, M.-Y., 44
Kalambur, S.
—; Rizvi, S. S. H.: Biodegradable and Functionally Superior Starch–Polyester Nanocomposites from Reactive Extrusion, 1072
Kalia, K. See Trivedi, J. H., 1855
Kan, C. W. See Jiang, S. Q., 919
Kaneda, I. See Sawada, H., 1467
Kang, T. J. See Hong, K. H., 983
Kanie, O.
—; Tanaka, H.; Mayumi, A.; Kitaoka, T.; Wariishi, H.: Composite Sheets with Biodegradable Polymers and Paper, the Effect of Paper Strengthening Agents on Strength Enhancement, and an Evaluation of Biodegradability, 861
Kaplan, M. A. C. See da Silva, E. P., 740
Kaprálková, L. See Kelnar, I., 288
Kar, S.
—; Banthia, A. K.: Synthesis and Evaluation of Liquid Amine-

Terminated Polybutadiene Rubber and Its Role in Epoxy Toughening, 2446
Karadağ, E. See Üzüm, Ö. B., 2253
Kariduraganavar, M. Y. See Kittur, A. A., 1377
Karst, D.
—; Yang, Y.: Using the Solubility Parameter to Explain Disperse Dye Sorption on Polylactide, 416
Katbab, A. A. See Jalali-arani, A., 155
Kato, J. See Morita, T., 1250
Kawaguchi, Y.
—; Itamura, Y.; Onimura, K.; Oishi, T.: Effects of the Chemical Structure on the Heat Resistance of Thermoplastic Expandable Microspheres, 1306
Kawase, T. See Sawada, H., 1467
Kawauchi, S. See Ishizu, K., 1810
Keith, J. M. See Janda, N. B., 62
Kelnar, I.
—; Kotek, J.; Kaprálková, L.; Munteanu, B. S.: Polyamide Nanocomposites with Improved Toughness, 288
Kenny, J. M. See Frulloni, E., 1756
Keum, J. K. See Seo, Y. S., 2097
Khorasani, S. N. See Haghighat, M., 2203
Khotimsky, V. S. See Kim, T.-J., 927
Khullar, R.
—; Varshney, V. K.; Naithani, S.; Heinze, T.; Soni, P. L.: Carboxymethylation of Cellulosic Material (Average Degree of Polymerization 2600) Isolated from Cotton *(Gossypium)* Linters with Respect to Degree of Substitution and Rheological Behavior, 1477
Kim, C. K. See Seo, Y. S., 2097
Kim, D. See Kim, J.-H., 56; Kim, K., 200
Kim, D. S.
—; Kim, J.-T.; Woo, W. B.: Reaction Kinetics and Characteristics of Polyurethane/Clay Nanocomposites, 1641
Kim, E. Y.
—; Kim, H. D.: Preparation and Properties of Microencapsulated Octadecane with Waterborne Polyurethane, 1596
Kim, H. D. See Kim, E. Y., 1596
Kim, H.-D. See Kwon, J.-Y., 595
Kim, H.-S. See Park, E.-S., 1064
Kim, H. Y. See Cha, D. I., 460
Kim, I.
—; White, J. L.: Reactive Copolymerization of Various Monomers Based on Lactams and Lactones in a Twin-Screw Extruder, 1875
Kim, I. Y. See Kim, S. J., 86; Kim, S. J., 867
Kim, J.-G. See Kim, J.-H., 56; Kim, S.-W., 1347
Kim, J. H. See Lyoo, W. S., 967; Seo, Y. S., 2097
Kim, J.-H.
—; Kim, J.-G.; Kim, D.; Kim, Y. H.: Preparation and Properties of PEG Hydrogel from PEG Macromonomer with Sulfonate End Group, 56
Kim, J.-K. See Sham, M.-L., 175
Kim, J.-T. See Kim, D. S., 1641
Kim, K.
—; Kim, D.: High-Performance Liquid Chromatography Separation Characteristics of Molecular-Imprinted Poly(methacrylic acid) Microparticles Prepared by Suspension Polymerization, 200
Kim, K. H. See Song, J. S., 1095
Kim, K. J. See Choi, S. M., 2300
Kim, K. Y. See Nam, G. J., 905
Kim, M.-N. See Park, E.-S., 1064
—; Lim, A. H.; Yoon, J.-S.: Antibacterial Activity of Polymers with Norfloxacin Moieties Against Native and Norfloxacin-Tolerance-Induced Bacteria, 936
Kim, S. H.
—; Oh, K. W.; Kim, T. K.: Novel Conducting Polyaniline Blends with Cyanoresin, 1035
Kim, S. I. See Jeong, S., 1388; Kim, S. J., 86; Kim, S. J., 867; Lee, E. S., 975
Kim, S. J.
—; Shin, S. R.; Shin, D. I.; Kim, I. Y.; Kim, S. I.: Synthesis and Characteristics of Semi-interpenetrating Polymer Network Hydrogels Based on Chitosan and Poly(hydroxy ethyl methacrylate), 86
—; Shin, S. R.; Spinks, G. M.; Kim, I. Y.; Kim, S. I.: Synthesis and Characteristics of a Semi-Interpenetrating Polymer Network Based on Chitosan/Polyaniline Under Different pH Conditions, 867
Kim, S. S. See Lyoo, W. S., 967
Kim, S.-W.
—; Kim, J.-G.; Choi, J.-I.; Jeon, I.-R.; Seo, K.-H.: Synthesis of Glycidylethylhexylphthalate and its Effects on Poly(vinyl chloride) Films as a Novel Plasticizer, 1347
Kim, T.-J.
—; Bryantseva, I. S.; Borisevich, O. B.; Syrtsova, D. A.; Khotimsky, V. S.; Roizard, D.; Teplyakov, V. V.: Synthesis and Permeability Properties of Crosslinkable Elastomeric Poly(vinyl allyl dimethylsilane)s, 927
Kim, T. K. See Kim, S. H., 1035
Kim, W. G. See Ruy, J. H., 2287
Kim, Y.
—; White, J. L.: Formation of Polymer Nanocomposites with Various Organoclays, 1888
Kim, Y. H. See Kim, J.-H., 56
King, J. A. See Janda, N. B., 62
Kiralp, S. See Yildiz, H. B., 502
Kişkan, B.
—; Akar, A.; Kızılcan, N.; Ustamehmetoğlu, B.: Soluble and Conductive Copolymers from 1-(Hydroxyalkyl) Pyrroles, 1830
Kitaoka, T. See Kanie, O., 861
Kittur, A. A.
—; Kariduraganavar, M. Y.; Kulkarni, S. S.; Aralaguppi, M. I.: Preparation of Zeolite-Incorporated Poly(dimethyl siloxane) Membranes for the Pervaporation Separation of Isopropyl Alcohol/Water Mixtures, 1377
Kızılcan, N. See Kişkan, B., 1830
—; Ustamehmetoğlu, B.: Chemical Polymerization of Pyrrole in the Presence of Ketone–Formaldehyde Resins, 618
Kobayashi, T. See Kumagai, H., 589
Kocak, A. See Ahmetli, G., 253
Koçak, E. See Gök, A., 746
Kolařík, J.
—; Fambri, L.; älouf, M.; Konečnı, D.: Heterogeneous Polyamide 66/Syndiotactic Polystyrene Blends: Phase Structure and Thermal and Mechanical Properties, 673
Komane, L. L. See Johnson, M. T., 10
Konečnı, D. See Kolařík, J., 673
Kong, L. X. See Peng, Z., 1436
Kongdee, A.
—; Bechtold, T.; Teufel, L.: Modification of Cellulose Fiber with Silk Sericin, 1421
Koros, W. J. See Punsalan, D., 1115
Kotek, J. See Kelnar, I., 288
Kouzai, H. See Sugimoto, M., 837
Kowsari, E. See Mallakpour, S., 435
Koyama, K. See Li, G. Z., 706

Krajnc, M. See Hace, I., 345
Kriwanek, J. See Seeboth, A., 1789
Kuan, H.-C.
—; Kuan, J.-F.; Ma, C.-C. M.; Huang, J.-M.: Thermal and Mechanical Properties of Silane- Grafted Water Crosslinked Polyethylene, 2383
Kuan, J.-F. See Kuan, H.-C., 2383
Kucharski, M. See Glowacz-Czerwonka, D., 77
Kulkarni, P. V. See Agnihotri, S. A., 301
Kulkarni, R. V. See Agnihotri, S. A., 301
Kulkarni, S. S. See Kittur, A. A., 1377
Kumagai, H.
—; Tashiro, T.; Kobayashi, T.: Formation of Conjugated Carbon Bonds on Poly(vinyl chloride) Films by Microwave-Discharge Oxygen-Plasma Treatments, 589
Kumar, K. K. S. See Geetha, S., 2316
Kumar, S. See Liu, J., 1992
Kumar, V. See Yang, D., 696
Kunita, M. H. See Venter, S. A. S., 2273
Kurbanli, R. See Ahmetli, G., 253
Kusefoğlu, S. H. See Yilmaz, M., 2240
Kusuda, T. See Yuan, L., 2367
Kute, V. See Salunke, A. K., 1292
Kwag, G.
—; Park, E.; Lee, S. N.: Thermally Stable and Amorphous Polyfluorene, 1335
Kwak, J. W. See Lyoo, W. S., 967
Kwon, J.-Y.
—; Kim, H.-D.: Preparation and Properties of Acid-Treated Multiwalled Carbon Nanotube/Waterborne Polyurethane Nanocomposites, 595

Lagarón, J. M. See López-Rubio, A., 2192
Lahootifard, F.
—; Taghizadeh, S. M.: Effect of Different Skin Permeation Enhancers on Tack of a Pressure Sensitive Adhesive, 1287
Lai, J. Y. See Wang, Y. C., 2046
La Mantia, F. P. See Correnti, A., 1716
—; Morreale, M.; Ishak, Z. A. M.: Processing and Mechanical Properties of Organic Filler–Polypropylene Composites, 1906
Langela, M. See Simon, P., 1573
Larobina, D. See Sannino, A., 1675
Lawandy, S. N.
—; Halim, S. F.: Effect of Vulcanizing System on the Crosslink Density of Nitrile Rubber Compounds, 2440
Lee, E. S.
—; Kim, S. I.: Effect of Additives on Durable-Press Cotton Fabrics Treated with a Glyoxal/Glycol Mixture, 975
Lee, J.-H.
—; Nho, Y.-C.; Lim, Y.-M.; Son, T.-I.: Prevention of Surgical Adhesions with Barriers of Carboxymethylcellulose and Poly(ethylene glycol) Hydrogels Synthesized by Irradiation, 1138
Lee, J. W. See Nam, G. J., 905; Nam, G. J., 1793
Lee, K. See Jeong, S., 1388
Lee, K. H. See Cha, D. I., 460
Lee, K. R. See Wang, Y. C., 2046
Lee, M.-Y.
—; Hong, K.-J.; Shin-Ya, Y.; Kajiuchi, T.: Adsorption of Hexavalent Chromium by Chitosan-Based Polymeric Surfactants, 44
Lee, R. See Seo, Y. S., 2097
Lee, S. See Song, J. S., 1095
Lee, S. N. See Kwag, G., 1335
Legocka, I. See Ali, Z. I., 1275
Le Marechal, A. M. See Voncina, B., 1323
Lenzi, M. K.
—; Cunningham, M. F.; Lima, E. L.; Pinto, J. C.: Modeling of Semibatch Styrene Suspension Polymerization Processes, 1950
Leung, C. M. See Wong, Y. W., 1662
Li, C.-H. See Hwang, H.-J., 2079
Li, F.
—; Zhou, S.; Gu, G.; You, B.; Wu, L.: Preparation and Characterization of Ultraviolet-Curable Nanocomposite Coatings Initiated by Benzophenone/*n*-Methyl Diethanolamine, 912
Li, G. Z.
—; Matsuda, T.; Nishioka, A.; Miyata, K.; Masubuchi, Y.; Koyama, K.; Pittman, C. U. Jr.: Rheological Properties of Polystyrene Blends with Rigid Ladderlike Polyphenylsilsesquioxane, 706
Li, H. See Li, Y., 379; Liu, X., 1824
Li, J. See Yin, Y., 1394; Zhang, J., 883
Li, J. Z.
—; Yao, K. D.: Adsorption from Aqueous Solution Based on the Synergism between Hydrogen Bonding and Hydrophobic Interactions, 841
Li, Q.
—; Jiang, P.; Su, Z.; Wei, P.; Wang, G.; Tang, X.: Synergistic Effect of Phosphorus, Nitrogen, and Silicon on Flame-Retardant Properties and Char Yield in Polypropylene, 854
Li, R. K. Y. See Yuan, Q., 1729
Li, S.-D. See Peng, Z., 1436
Li, S.-G. See Chen, L., 2163
Li, Y. See Gao, B., 714; Liu, Y., 2139; Wu, T., 261; Zhang, L., 961
—; Chen, G.; Guo, S.; Li, H.: Effect of Ultrasonic Oscillations on the Rheological Behavior and Morphology of Illite-Filled High-Density Polyethylene Composites, 379
Li, Z. See Yin, Y., 1394
—; Wang, H.: Radiation-Induced Grafting of Glycidyl Methacrylate onto High-Density Polyethylene (HDPE) and Radiation Lamination of HDPE, 772
Lian, G. See Ma, X., 1165
Liang, G. See Zhao, J., 1011
Liang, Y. See Hou, C., 1529
Lichte, H. See Simon, P., 1573
Lim, A. H. See Kim, M.-N., 936
Lim, Y.-M. See Lee, J.-H., 1138
Lima, E. L. See Lenzi, M. K., 1950
Lin, D.-S.
—; Measurement of the Electrochemical Response Time and Electron Paramagnetic Resonance Behavior of Poly(*o*-phenetidine)–Poly(styrene sulfonic acid) and Poly(2-ethylaniline)–Poly(styrene sulfonic acid) Complexes, 1211
Lin, J. J.
—; Huang, B. H.: Preparation and Surfactancy of Branched Copolymers from Poly(oxyalkylene)-amine and Trichlorotriazine Coupling, 29
Lin, J.-R. See He, X.-Z., 1204
Lin, X.
—; Pan, Q.; Rempel, G. L.: Gel Formation in Diimide-Hydrogenated Polymers, 1122
Ling, L. See Wu, G., 1029
Liu, B. See Hu, W., 312; Xie, H., 329
Liu, C. See Zhang, J., 732
Liu, D.-G. See Xie, H.-Q., 1398
Liu, G.
—; Zhang, L.; Zhao, D.; Qu, X.: Bulk Polymerization of Styrene in the Presence of Organomodified Montmorillonite, 1146

Liu, H.-Z. See Ma, Z.-Y., 2174
Liu, J. See Chen, X., 1267; Shao, J., 1999
—; Wang, T.; Uchida, T.; Kumar, S.: Carbon Nanotude Core–Polymer Shell Nanofibers, 1992
Liu, J.-H.
—; Hsieh, C.-D.; Tseng, C.-C.: Synthesis of Alicyclic Polymers and Characterization of Chemical Amplified Positive Photoresists Having the Same, 1505
Liu, J.-Y. See Meng, F.-B., 2021
Liu, L. See Yang, C., 20
Liu, M. See Guo, M., 2132; Yan, Y., 1460
Liu, S.
—; Yang, M.; Dan, Y.: Complex System of Poly(methacrylic acid) with Poly(vinylpyrrolidone) in Aqueous Media, 2280
Liu, X.
—; Xie, M.; Li, H.: Effect of Inorganic Fillers in Binary Processing Aids on the Rheology of a Metallocene Linear Low-Density Polyethylene, 1824
Liu, X.-L. See Wen, H.-L., 489
Liu, X.-Q. See Ma, Z.-Y., 2174
Liu, Y. See Liu, Y., 2139; Tang, R., 1259; Yin, Y., 1394
—; Bai, L.; Zhang, R.; Li, Y.; Liu, Y.; Deng, K.: Block Copolymerization of Poly(ethylene glycol) and Methyl Acrylate Using Potassium Diperiodatocuprate(III), 2139
Ljungberg, N.
—; Colombini, D.; Wesslén, B.: Plasticization of Poly(lactic acid) with Oligomeric Malonate Esteramides: Dynamic Mechanical and Thermal Film Properties, 992
Lluch, A. V.
—; Felipe, A. M.; Greus, A. R.; Cadenato, A.; Ramis, X.; Salla, J. M.; Morancho, J. M.: Thermal Anaylsis Characterization of the Degradation of Biodegradable Starch Blends in Soil, 358
Lopatin, V. V.
—; Askadskii, A. A.; Peregudov, A. S.; Vasil'ev, V. G.: Structure and Relaxation Properties of Medical-Purposed Polyacrylamide Gels, 1043
López-Rubio, A.
—; Hernández-Muñoz, P.; Gimenez, E.; Yamamoto, T.; Gavara, R.; Lagarón, J. M.: Gas Barrier Changes and Morphological Alterations Induced by Retorting in Ethylene Vinyl Alcohol–Based Food Packaging Structures, 2192
Lötzsch, D. See Seeboth, A., 1789
Lu, C. See Wu, G., 1029
Lu, H. See Ma, X., 1165
Lu, J. See Chen, G., 183
Lu, J. Z.
—; Wu, Q.; Negulescu, I. I.: Wood-Fiber/High-Density-Polyethylene Composites: Coupling Agent Performance, 93
Lu, M.-G. See Shen, M.-M., 1329
Lu, S. See Huang, H.-X., 2230
Lu, T. See Ma, X., 1165
Lu, X. See Na, B., 1231
Lu, Y. See Yang, C., 20
—; Sun, W.; Shen, Z.: Polymerization of *N*-Phenylmaleimide with a Rare-Earth Coordination Catalyst, 979
Lubczak, J. See Lubczak, R., 1357
Lubczak, R.
—; Lubczak, J.: Reactions of Hydroxyalkyl Esters with Phenyl Isocyanate, 1357
Luna, M. See Rivas, B. L., 222
Luo, W.
—; Zhang, W.; Chen, P.; Fang, Y.: Synthesis and Properties of Starch Grafted Poly[acrylamide-*co*-(acrylic acid)]/Montmorillonite Nanosuperabsorbent via γ-Ray Irradiation Technique, 1341
Luyt, A. S.
—; Hato, M. J.: Thermal and Mechanical Properties of Linear Low-Density Polyethylene/Low-Density Polyethylene/Wax Ternary Blends, 1748
Lv, Q.
—; Cao, C.; Zhang, Y.; Ma, X.; Zhu, H.: Preparation of Insoluble Fibroin Films Without Methanol Treatment, 2168
Lyoo, W. S.
—; Yeum, J. H.; Park, J. M.; Kwak, J. W.; Kim, J. H.; Kim, S. S.; Ji, B. C.; Noh, S. K.: Role of Molecular Weight of Atactic Poly(vinyl alcohol) (PVA) in the Polarizing Efficiency of PVA/Azo Dye Complex Film with High Durability, 967

Ma, C.-C. M. See Kuan, H.-C., 2383
Ma, L. See Xing, F., 2225
Ma, R. See Zhang, L., 961
Ma, X. See Lv, Q., 2168
—; Lu, H.; Lian, G.; Zhao, J.; Lu, T.: Rectorite/Thermoplastic Polyurethane Nanocomposites. II. Improvement of Thermal and Oil-Resistant Properties, 1165
Ma, Z. See Zhang, L., 961
Ma, Z.-Y.
—; Guan, Y.-P.; Liu, X.-Q.; Liu, H.-Z.: Preparation and Characterization of Micron-Sized Non-Porous Magnetic Polymer Microspheres with Immobilized Metal Affinity Ligands by Modified Suspension Polymerization, 2174
Maaroufi, A.-K. See Pinto, G., 2011
Macit, H.
—; Sen, S.; Saçak, M.: Electrochemical Synthesis and Characterization of Polycarbazole, 894
Madras, G. See Vijayalakshmi, S. P., 2090
Maffezzoli, A. See Sannino, A., 1675
Magagnini, P. L. See Correnti, A., 1716
Mahinfalah, M. See Gustin, J., 2309
Mahoud, G. A. See Hassan, M. M., 1741
Mai, K. See Zhang, Y., 2038
Maiti, M.
—; Sadhu, S.; Bhowmick, A. K.: Effect of Carbon Black on Properties of Rubber Nanocomposites, 443
Maity, A.
—; Biswas, M.: Kinetics and Mechanism of the K_2CrO_4–$NaAsO_2$ Redox-Initiated Aqueous Polymerization of Acrylonitrile, 276
Mallakpour, S.
—; Kowsari, E.: Soluble Novel Optically Active Poly(amide–imide)s Derived from *N,N'*-(4,4'-Oxydiphthaloyl)-bis-L-leucine Diacid Chloride and Various Aromatic Diamines: Synthesis and Characterization, 435
Mallikarjuna, N. N. See Agnihotri, S. A., 301; Naidu, B. V. K., 1968; Swamy, B. K. K., 874; Wali, A. C., 1996
Mandan, M. G. See Padmavathi, G., 1611
Manoj, N. R.
—; Raut, R. D.; Sivaraman, P.; Ratna, D.; Chakraborty, B. C.: Sequential Interpenetrating Polymer Network of Poly(ethyl methacrylate) and Carboxylated Nitrile Rubber: Dynamic Mechanical Analysis and Morphology, 1487

Manroshan, S.
—; Baharin, A.: Effect of Nanosized Calcium Carbonate on the Mechanical Properties of Latex Films, 1550
Mao, W. See Feng, Y., 632
Marcos-Fernández, A. See Valentín, J. L., 1
Marcuta, M. See Budrugeac, P., 613
Mariani, A. See Frulloni, E., 1756
Marin, G. See Budrugeac, P., 613
Mark, J. E. See Gao, Z., 494
Martina, A. D.
—; Graf, R.; Hilborn, J. G.: Macroporous Poly(dicyclopentadiene) Beads, 407
Martínez-Ageitos, J. M. See Fraga, F., 1591
Masubuchi, Y. See Li, G. Z., 706
Mather, R. R. See Yang, R., 144
Mathew, B. See Chacko, A., 1897
Mathys, Z. See Hussain, M., 112
Matos, R. See Rinaldi, A. W., 1710; Venter, S. A. S., 2273
Matsuda, T. See Li, G. Z., 706
Matsushige, K. See El-Hami, K., 1410
Mays, J. W. See Xie, D., 1979
Mayumi, A. See Kanie, O., 861
Meausoone, P.-J. See Pizzi, A., 655
Mehdipour-Ataei, S.
—; Amirshaghaghi, A.: Novel Thermally Stable Poly(ether imide ester)s from 2, 6-Bis (4-aminophenoxy) Pyridine, 570
Mehrdad, A. See Taghizadeh, M. T., 2373
Melinte, V. See Buruiana, E. C., 385
Mellor, M. See Santamaría, E., 122
Meng, F.-B. See He, X.-Z., 1204
—; Zhang, B.-Y.; Xiao, W.-Q.; Hu, T.-X.: Effect of Nonmesogenic Crosslinking Units on the Mesogenic Properties of Side-Chain Cholesteric Liquid Crystalline Elastomers, 625
—; Zhang, B.-Y.; Xu, Y.; Liu, J.-Y.: Main-Chain Liquid-Crystalline Ionomers Bearing Potassium Sulfonate Groups, 2021
Meng, X. See Qi, Y., 846
Mensitieri, G. See Sannino, A., 1675
Merino, J. C. See García-López, D., 2377
Merle, G. See Vouyovitch, L., 1368
Michler, G. H. See Simon, P., 1573
Min, Y. Q. See Zhang, X. H., 723
Minko, S. See Voronov, S., 232
Mishra, S.
—; Sonawane, S. H.; Badgujar, N.; Gurav, K.; Patil, D.: Comparative Study of the Mechanical and Flame-Retarding Properties of Polybutadiene Rubber Filled with Nanoparticles and Fly Ash, 6
Mitra, S. P. See Padmavathi, G., 1611
Miyagawa, H.
—; Foo, K. H.; Daniel, I. M.; Drzal, L. T.: Mechanical Properties and Failure Surface Morphology of Amine-Cured Epoxy/Clay Nanocomposites, 281
Miyata, K. See Li, G. Z., 706
Modarress, H.
—; Mohsen-Nia, M.: Measurement and Modeling of Poly(vinyl acetate)–Solvent Viscosity Mixtures, 1244
Mohammad, A. W.
—; Hilal, N.; Seman, M. N. A.: Interfacially Polymerized Nanofiltration Membranes: Atomic Force Microscopy and Salt Rejection Studies, 605
Mohan, Y. M.
—; Murthy, P. S. K.; Rao, K. M.; Sreeramulu, J.; Raju, K. M.: Swelling Behavior and Diffusion Studies of High-Water-Retaining Acrylamide/Potassium Methacrylate Hydrogels, 1153
Mohsen, M. See Mostafa, N., 638
Mohsen-Nia, M. See Modarress, H., 1244
Morancho, J. M. See Lluch, A. V., 358
Morikawa, H.
—; Sudo, A.; Nishida, H.; Endo, T.: Volume-Expandable Monomer 5,5-Dimethyl-1,3-dioxolan-2-one: Its Copolymerization Behavior with Epoxide and Its Applications to Shrinkage-Controlled Epoxy-Curing Systems, 372
Morita, T.
—; Adachi, M.; Kato, J.: Study of the Coagulated Structure and Fiber Strength with Wet Spinning of Aliphatic Polyketone with Aqueous Composite Metal Salt Solutions, 1250
Morreale, M. See La Mantia, F. P., 1906
Mostafa, N.
—; Mohsen, M.; Rashad, S.; Aiob, A.; Salem, E.: Study of the Electrical Properties of Flame Retardant Poly(vinylchloride) Using Positron Annihilation Lifetime Spectroscopy, 638
Mun, M. S. See Song, J. S., 1095
Muniz, E. C. See Venter, S. A. S., 2273
Munteanu, B. S. See Kelnar, I., 288
Murthy, P. S. K. See Mohan, Y. M., 1153
Musil, V. See Stropnik, C., 1667
Myung, B. Y.
—; Ahn, C. J.; Yoon, T. H.: Adhesion Property of Novel Polyimides with 1-[3′,5′-Bis(trifluoromethyl)phenyl] Pyromellitic Dianhydride, 1801

Na, B.
—; Pizzi, A.; Delmotte, L.; Lu, X.: One-Component Polyurethane Adhesives for Green Wood Gluing: Structure and Temperature-Dependent Creep, 1231
Naffakh, M.
—; Dumon, M.; Dupuy, J.; Gérard, J.-F.: Cure Kinetics of an Epoxy/Liquid Aromatic Diamine Modified with Poly(ether imide), 660
Nagarajan, P.
—; Yao, D.: Cold Forging Behavior of Semicrystalline Polymers, 764
Nagarale, R. K.
—; Gohil, G. S.; Shahi, V. K.; Rangarajan, R.: Preparation and Electrochemical Characterization of Sulfonated Polysulfone Cation-Exchange Membranes: Effects of the Solvents on the Degree of Sulfonation, 2344
Naghavi, H. See Faghihi, K., 1776
Nagpal, A. K. See Gupta, A., 537
Nahrup, J. S. See Gao, Z., 494
Naidu, B. V. K. See Swamy, B. K. K., 874; Wali, A. C., 1996
—; Bhat, S. D.; Sairam, M.; Wali, A. C.; Sawant, D. P.; Halligudi, S. B.; Mallikarjuna, N. N.; Aminabhavi, T. M.: Comparison of the Pervaporation Separation of a Water–Acetonitrile Mixture with Zeolite-Filled Sodium Alginate and Poly(vinyl alcohol)–Polyaniline Semi-Interpenetrating Polymer Network Membranes, 1968
Naik, A. See Hashmi, S. A. R., 550
Naithani, S. See Khullar, R., 1477
Nakagawa, H. See Sawada, H., 1467
Nakamura, T. See Shimizu, Y., 2423
Nakane, K. See Tatsushima, T., 400
Nam, G. J.
—; Kim, K. Y.; Lee, J. W.: The Effect of SEBS on Interfacial Tension and Rheological Properties of LDPE/PS Blend, 905
—; Yoo, J. H.; Lee, J. W.: Effect of Long-Chain Branches of

Polypropylene on Rheological Properties and Foam-Extrusion Performances, 1793
Nazockdast, H. See Jalali-arani, A., 155
N'Da, D. D. See Johnson, M. T., 10
Neelakantan, N. R. See Idicula, M., 1699
Negulescu, I. I. See Lu, J. Z., 93
Nery, R. C. See Venter, S. A. S., 2273
Neuse, E. W. See Johnson, M. T., 10
Newton, E. See Jiang, S. Q., 919
Nho, Y.-C. See Lee, J.-H., 1138
Nishida, H. See Morikawa, H., 372
Nishioka, A. See Li, G. Z., 706
Noh, S. K. See Lyoo, W. S., 967
Norimoto, M. See Sugiyama, M., 37
Nosova, N. See Voronov, S., 232
Novikova, O. See Baumann, F. E., 2413
Núñez-Regueira, L.
—; Gracia-Fernández, C. A.; Gómez-Barreiro, S.: Characterization of a Thermoset by Thermal Analysis Techniques: Criterion To Assign the Value of the α-Transition Temperature by Dielectric Analysis, 2027

Oenbrink, G. See Baumann, F. E., 2413
Ogata, N. See Tatsushima, T., 400
Ogihara, T. See Tatsushima, T., 400
Oh, K. W. See Hong, K. H., 983; Kim, S. H., 1035
Oharu, K. See Sawada, H., 1467
Ohta, Y. See Ishizu, K., 1810
Oishi, T. See Kawaguchi, Y., 1306
Öksüz, M.
—; Yıldırım, H.: Effect of Calcium Carbonate on the Mechanical and Termal Properties of Isotactic Polypropylene/Ethylene Vinyl Acetate Blends, 1126
Oleksy, M.
—; Heneczkowski, M.; Galina, H.: Chemosetting Resins Containing Fillers. I. Unsaturated Polyester Resin Compositions Containing Modified Smectites, 793
Oliveira, J. S. See de Assunção, R. M. N., 1534
Onimura, K. See Kawaguchi, Y., 1306
Oommen, Z. See Idicula, M., 1699
Orchison, J. See Santamaría, E., 122
Osiris, W. G. See El-Zaher, N. A., 1914
Otaguro, H. See Filho, G. R., 516
Otsuki, T.
—; Qiu, W.; Hirotsu, T.: Mechanical Properties and Applications for Floor Tiles of a Composite from Clay and Maleated Polyethylene, 1176
Oxby, T. J. See Janda, N. B., 62

Padmavathi, G.
—; Mandan, M. G.; Mitra, S. P.; Chaudhuri, K. K.; Patel, S. J.; Dabke, S. P.: Inferential Estimation of Molecular Weights of Polybutadiene Rubber by Neural Networks, 1611
Pagé, D. J. Y. S. See Gopakumar, T. G., 1557
Pal, S. M.
—; Pangarkar, V. G.: Acrylonitrile-Based Copolymer Membranes for the Separation of Methanol from a Methanol–Toluene Mixture through Pervaporation, 243
Palaniappan, S.
—; Sairam, M.: Polyaniline-Supported Acid Catalyst: Esterification of Cinnamic Acid with Alcohols, 1584
Paliwal, L. J. See Jadhao, M. M., 1605
Pan, Q. See Lin, X., 1122; Wu, J., 645
Pangarkar, V. G. See Pal, S. M., 243
Papworth, P. See Patham, B., 423
Parameswaran, S. See Subbiah, T., 557
Parashar, P. See Ramrakhiani, M., 1835
Park, E. See Kwag, G., 1335
Park, E.-S.
—; Kim, H.-S.; Kim, M.-N.; Yoon, J.-S.: Soil Burial Test for Poly(ethylene-*co*-vinyl alcohol)-*graft*-Polycaprolactone, 1064
Park, H. R.
—; Yoon, S. D.; Bang, E. Y.; Rogers, K. R.; Chough, S. H.: Molecular Imprinting Polymers for the Separation of Toluic Acid Isomers, 650
Park, J. M. See Lyoo, W. S., 967
Pastor, J. M. See García-López, D., 2377
Patel, N. K. See Trivedi, J. H., 1855
Patel, S. J. See Padmavathi, G., 1611
Patham, B.
—; Papworth, P.; Jayaraman, K.; Shu, C.; Wolkowicz, M. D.: Flow Marks in Injection Molding of Polypropylene and Ethylene–Propylene Elastomer Blends: Analysis of Morphology and Rheology, 423
Patil, D. See Mishra, S., 6
Patil, P. P. See Shinde, V., 685
Pattanawanidchai, S.
—; Saeoui, P.; Sirisinha, C.: Influence of Precipitated Silica on Dynamic Mechanical Properties and Resistance to Oil and Thermal Aging in CPE/NR Blends, 2218
Peng, Y.
—; Zhang, Q.; Du, R.; Fu, Q.: Crystallization Kinetics and Tensile Modulus of Blends of Metallocene Short-Chain Branched Polyethylene with Conventional Polyolefins, 1816
Peng, Z.
—; Kong, L. X.; Li, S.-D.: Thermal Properties and Morphology of a Poly(vinyl alcohol)/Silica Nanocomposite Prepared with a Self-Assembled Monolayer Technique, 1436
Peregudov, A. S. See Lopatin, V. V., 1043
Pereira, E. D. See Rivas, B. L., 222
Perger, W. F. See Janda, N. B., 62
Phapant, P. See Saravari, O., 1170
Pimpan, V. See Saravari, O., 1170
Pinto, G.
—; Maaroufi, A.-K.: Conducting Polymer Composites of Zinc-Filled Urea–Formaldehyde, 2011
Pinto, J. C. See Lenzi, M. K., 1950
Pionteck, J. See Voronov, S., 232
Pittman, C. U. Jr. See Li, G. Z., 706
Pizzi, A. See Na, B., 1231
—; George, B.; Zanetti, M.; Meausoone, P.-J.: Rheometry of Aging of Colloidal Melamine–Urea–Formaldehyde Polycondensates, 655
Polacco, G. See Correnti, A., 1716
Pomerantsev, A. L.
—; Phenomenological Modeling of Anomalous Diffusion in Polymers, 1102
Pooley, S. A. See Rivas, B. L., 222
Pötschke, P. See Voronov, S., 232
Pradhan, D. R. See Brar, A. S., 1865
Puckett, A. D. See Xie, D., 1979
Punsalan, D.
—; Koros, W. J.: Thickness-Dependent Sorption and Effects of Physical Aging in a Polyimide Sample, 1115
Puri, P.
—; Hinestroza, J.; De Kee, D.: Transport of Small Molecules Through Mechanically Elongated Polymeric Membranes, 1200
Purss, H. K.
—; Qiao, G. G.; Solomon, D. H.: Effect of "Glutaraldehyde" Functionality on Network Formation in Poly(vinyl alcohol) Membranes, 780

Qi, G. R. See Zhang, X. H., 723
Qi, Y.
—; Meng, X.; Yang, J.; Zeng, Z.; Chen, Y.: Synthesis and Properties of Ultraviolet/Moisture Dual-Curable Polysiloxane Acrylates, 846
Qiao, G. G. See Purss, H. K., 780
Qiu, W. See Otsuki, T., 1176
Qu, R.-J. See Hou, C., 1017, 1529
Qu, X. See Liu, G., 1146
Qun, W. See Hou, C., 1017

Radovanovic, E. See Venter, S. A. S., 2273
Rahbari-Sisakht, M. See Taghizadeh, M., 1059
Raj, B.
—; Jagadish, R. S.; Srinivas, P.; Siddaramaiah: Crosslinking of Low-Density Polyethylene by Diisocyanates for Superior Barrier Properties, 1193
Raju, K. M. See Mohan, Y. M., 1153
Ramesh, D. See Shakkthivel, P., 1451
Ramis, X. See Lluch, A. V., 358
Ramkumar, S. S. See Subbiah, T., 557
Ramrakhiani, M.
—; Parashar, P.; Datt, S. C.: Study of the Degree of Crystallinity in Eudragit/Poly(methyl methacrylate) Polyblends by X-Ray Diffraction, 1835
Ranade, R. See Debnath, S., 1564
Rangarajan, R. See Nagarale, R. K., 2344
Rao, D. V. M. See Sreedhar, B., 1313
Rao, K. M. See Mohan, Y. M., 1153
Rashad, S. See Mostafa, N., 638
Rathnam, P. A. S. See Sreedhar, B., 1313
Ratna, D. See Manoj, N. R., 1487
Raut, R. D. See Manoj, N. R., 1487
Rempel, G. L. See Lin, X., 1122; Wu, J., 645
Richez, A.
—; Deleuze, H.; Vedrenne, P.; Collier, R.: Preparation of Ultra-Low-Density Microcellular Materials, 2053
Richter, R. See Baumann, F. E., 2413
Rinaldi, A. W.
—; Matos, R.; Rubira, A. F.; Ferreira, O. P.; Girotto, E. M.: Electrical, Spectroscopic, and Thermal Properties of Blends Formed by PEDOT, PVC, and PEO, 1710
Rivas, B. L.
—; Pooley, S. A.; Pereira, E. D.; Cid, R.; Luna, M.; Jara, M. A.; Geckeler, K. E.: Water-Soluble Amine and Imine Polymers with the Ability To Bind Metal Ions in Conjunction with Membrane Filtration, 222
Rivera, C. See Infante, R., 475
Rizvi, S. S. H. See Kalambur, S., 1072
Rodríguez, A. See Valentín, J. L., 1
Rodríguez-Núñez, E. See Fraga, F., 1591
Rogers, K. R. See Park, H. R., 650
Roiter, Y. See Voronov, S., 232
Roizard, D. See Kim, T.-J., 927
Royer, B. See de Assunção, R. M. N., 1534
Rubira, A. F. See Rinaldi, A. W., 1710; Venter, S. A. S., 2273
Ryu, J. H.
—; Choi, K. S.; Kim, W. G.: Latent Catalyst Effects in Halogen-Free Epoxy Molding Compounds for Semiconductor Encapsulation, 2287
Rzaev, Z. M. O. See Can, H. K., 2352

Saçak, M. See Macit, H., 894
Sadhu, S. See Maiti, M., 443
Saeoui, P. See Pattanawanidchai, S., 2218
Sainkar, S. R. See Shinde, V., 685; Wali, A. C., 1996
Sairam, M. See Naidu, B. V. K., 1968; Palaniappan, S., 1584; Sreedhar, B., 1313
Saito, Y. See Shimizu, Y., 2423
Sakr, A. See Gao, Z., 494
Salehi-Khojin, A. See Gustin, J., 2309
Salem, E. See Mostafa, N., 638
Salinas, M. M. See Frulloni, E., 1756
Salla, J. M. See Lluch, A. V., 358
Salunke, A. K.
—; Sharma, M.; Kute, V.; Banerjee, S.: Synthesis of Novel Copoly(ether ether ketones): Property Evaluation and Microstructure Analysis of NMR, 1292
Samaryk, V. See Voronov, S., 232
Sanda, F. See Suzuki, K., 1943
Sannino, A.
—; Larobina, D.; Mensitieri, G.; Aldi, A.; Maffezzoli, A.: Simultaneous Gravimetric and Calorimetric Analysis of Chloroform Sorption in Nanoporous Semicrystalline sPS, 1675
Santamaría, E.
—; Edge, M.; Allen, N. S.; Harvey, H. B.; Mellor, M.; Orchison, J.: New Insights into the Degradation Mechanism of Poly (Vinyl Chloride), Part (III): Implementation of New Costabilizers—Towards Heavy Metal Free Systems (HMFS), 122
Santikunakorn, S. See Wootthikanokkhan, J., 2154
Saravari, O.
—; Phapant, P.; Pimpan, V.: Synthesis of Water-Reducible Acrylic–Alkyd Resins Based on Modified Palm Oil, 1170
Sari-Sarraf, H. See Abidi, N., 392
Sathiyamoorthi, R. See Shakkthivel, P., 1451
Sawada, H.
—; Horiuchi, H.; Kawase, T.; Oharu, K.; Nakagawa, H.; Kaneda, I.: Synthesis and Applications of Silicone Oil–Soluble Fluoroalkyl End-Capped Cooligomers, 1467
Sawant, D. P. See Naidu, B. V. K., 1968
Schäper, R. See Seeboth, A., 1789
Schulze, J. See Gao, Z., 494
Seeboth, A.
—; Yin, C.; Kriwanek, J.; Lötzsch, D.; Schäper, R.: Thermochromic Polyolefin Foils, 1789
Seman, M. N. A. See Mohammad, A. W., 605
Sen, S. See Macit, H., 894
Seo, K.-H. See Kim, S.-W., 1347
Seo, Y. S.
—; Kim, J. H.; Kim, C. K.; Lee, R.; Keum, J. K.: Polycarbonate/Acrylonitrile–styrene–acrylic elastomer Terpolymer Blends with Enhanced Interfacial Adhesion and Surface Gloss, 2097
Shahi, V. K. See Nagarale, R. K., 2344
Shakkthivel, P.
—; Ramesh, D.; Sathiyamoorthi, R.; Vasudevan, T.: Water Soluble Copolymers for Calcium Carbonate and Calcium Sulphate Scale Control in Cooling Water Systems, 1451
Sham, M.-L.
—; Kim, J.-K.: Curing Behavior and Residual Stresses in Polymeric Resins Used for Encapsulanting Electronic Packages, 175
Shanks, R. A. See Houshyar, S., 2260
Shao, J.
—; Zheng, J.; Liu, J.; Carr, C. M.: Fourier Transform Raman and Fourier Transform Infrared Spectroscopy Studies of Silk Fibroin, 1999
Shao, Z. See Chen, X., 1267
Sharma, M. See Salunke, A. K., 1292
Shen, C.-M. See Xin, L.-Y., 1539
Shen, J. See Xie, H., 329

Shen, K. See Zhang, J., 818
Shen, M.-M.
—; Lu, M.-G.; Chen, Y.-L.; Ha, C.-Y.: Effects of Modifiers in Organoclays on the Curing Reaction of Liquid-Crystalline Epoxy Resin, 1329
Shen, Y.
—; Sun, J.; Wu, J.; Zhou, Q.: Synthesis and Characterization of Water-Soluble Conducting Polyaniline by Enzyme Catalysis, 814
Shen, Z. See Lu, Y., 979
Shi, G. See Zhang, J., 732
Shih, C.-H.
—; Gryte, C. C.; Cheng, L.-P.: Morphology of Membranes Formed by the Isothermal Precipitation of Polyamide Solutions from Water/Formic Acid Systems, 944
Shimizu, Y.
—; Tanigawa, S.; Saito, Y.; Nakamura, T.: Synthesis of Chemically Modified Chitosans with a Higher Fatty Acid Glycidyl and Their Adsorption Abilities for Anionic and Cationic Dyes, 2423
Shin, D. I. See Kim, S. J., 86
Shin, S. R. See Kim, S. J., 86; Kim, S. J., 867
Shin, Y.
—; Yoo, D.-I.; Son, K.: Development of Thermoregulating Textile Materials with Microencapsulated Phase Change Materials (PCM). II. Preparation and Application of PCM Microcapsules, 2005
Shinde, V.
—; Sainkar, S. R.; Patil, P. P.: Electrochemical Synthesis and Corrosion Protection Properties of Poly(*o*-toluidine) Coatings on Low Carbon Steel, 685
Shin-Ya, Y. See Lee, M.-Y., 44
Shu, C. See Patham, B., 423
Shukla, S. P.
—; Devi, S.: Immobilization of Pepsin on an Acrylamide/2-Hydroxyethyl Methacrylate Copolymer and Its Use in Casein Hydrolysis, 1544
Siddaramaiah. See Raj, B., 1193; Swamy, B. K. K., 874
Silva, I. See Echeverria, I., 523
Simionescu, B. C. See Buruiana, E. C., 385
Simon, G. P. See Hussain, M., 112
Simon, P.
—; Adhikari, R.; Lichte, H.; Michler, G. H.; Langela, M.: Electron Holography and AFM Studies on Styrenic Block Copolymers and a High Impact Polystyrene, 1573
Simunovic, S. See Jacob, G. C., 899
Singh, S. See Soni, R. K., 1515
Singhal, R. See Gupta, A., 537
Sirisinha, C. See Pattanawanidchai, S., 2218
Sivaraman, P. See Manoj, N. R., 1487
älouf, M. See Kolařík, J., 673
Solomon, D. H. See Purss, H. K., 780
Sombatsompop, N.
—; Chaochanchaikul, K.: Average Mixing Torque, Tensile and Impact Properties, and Thermal Stability of Poly(vinyl chloride)/Sawdust Composites with Different Silane Coupling Agents, 213
Son, K. See Shin, Y., 2005
Son, T.-I. See Lee, J.-H., 1138
Sonawane, S. H. See Mishra, S., 6
Song, C.-S. See Wen, H.-L., 489
Song, J. S.
—; Lee, S.; Cha, G. C.; Jung, S. H.; Choi, S. Y.; Kim, K. H.; Mun, M. S.: Surface Modification of Silicone Rubber by Ion Beam Assisted Deposition (IBAD) for Improved Biocompatibility, 1095
Soni, P. L. See Khullar, R., 1477
Soni, R. K.
—; Singh, S.: Synthesis and Characterization of Terephthalamides from Poly(ethylene terephthalate) Waste, 1515
Spinks, G. M. See Kim, S. J., 867
Sreedhar, B.
—; Sairam, M.; Chattopadhyay, D. K.; Rathnam, P. A. S.; Rao, D. V. M.: Thermal, Mechanical, and Surface Characterization of Starch–Poly(vinyl alcohol) Blends and Borax-Crosslinked Films, 1313
Sreeramulu, J. See Mohan, Y. M., 1153
Srinivas, P. See Raj, B., 1193
Srivastava, D.
—; Studies on Mechanical and Thermal Properties of Ternary Blends of Polyethylenes. I, 1691
Starbuck, J. M. See Jacob, G. C., 899
Stone, J. See Gustin, J., 2309
Stropnik, C.
—; Kaiser, V.; Musil, V.; Brumen, M.: Wet-Phase-Separation Membranes from the polysulfone/*N,N*-Dimethylacetamide/Water Ternary System: The Formation and Elements of Their Structure and Properties, 1667
Su, Z. See Li, Q., 854
Su, Z.-P.
—; Jiang, P.-K.; Wei, P.; Wang, G.-L.; Zhang, Y.: Performance Elevation of Linear Low-Density Polyethylene Highly Loaded with Aluminum Hydroxide by the Grafting of Methacrylic Acid to the Matrix, 162
Subbiah, T.
—; Bhat, G. S.; Tock, R. W.; Parameswaran, S.; Ramkumar, S. S.: Electrospinning of Nanofibers, 557
Suchocka-Gałaś, K.
—; Some Properties of Styrene-Based Ionomers II, 268
Sudo, A. See Morikawa, H., 372
Sugimoto, M.
—; Yamaguchi, K.; Kouzai, H.; Honma, H.: Synthesis and Practicability of Novel Additives for Copper Electroplating with Semiconductor Packaging, 837
Sugita, Y. See Suzuki, K., 1943
Sugiyama, M.
—; Norimoto, M.: Dielectric Relaxation Spectra of Chemically Treated Woods, 37
Sun, C.-f. See Hou, C., 483
Sun, J. See Shen, Y., 814
—; Wu, L.; Wang, Q.: Comparison about the Structure and Properties of PAN-Based Activated Carbon Hollow Fibers Pretreated with Different Compounds Containing Phosphorus, 294
Sun, Q. See Xie, H., 329
Sun, W. See Lu, Y., 979
Supri. See Ismail, H., 2181
Suzer, S. See Dara, I. H., 1222
Suzuki, K.
—; Sugita, Y.; Sanda, F.; Endo, T.: One-Component Epoxy Resin with Imine as Water-Initiated Latent Hardener: Improvement of the Mechanical and Adhesive Properties by the Addition of Methacrylate Copolymer, 1943
Swamy, B. K. K.
—; Siddaramaiah; Naidu, B. V. K.; Mallikarjuna, N. N.; Aminabahvi, T. M.: Molecular Transport of *n*-Alkanes Through Diol Chain-Extended Polyurethane Membranes, 874

Sweeney, J.
—; Caton-Rose, P.; Coates, P. D.: Modeling the Large-Strain Constitutive Behavior of Polycarbonate under Isothermal and Anisothermal Conditions, 2105
Syrtsova, D. A. See Kim, T.-J., 927

Taghizadeh, M.
—; Eliassi, A.; Rahbari-Sisakht, M.: Experimental Results and Modeling of Solvent Activities in Binary Polymer Solutions, 1059
—; Mehrdad, A.: Ultrasonic Degradation of Solutions of Poly(vinyl acetate) in Tetrahydrofuran, 2373
Taghizadeh, S. M. See Lahootifard, F., 1287
Tan, H.-M. See Wu, T., 261
Tanaka, H. See Kanie, O., 861
Tanaka, M. See Hirano, H., 508
Tang, R.
—; Xu, X.; Cheng, C.; Yu, G.; Liu, Y.; Xi, F.: Synthesis and Characterization of Novel Phenyl-Substituted Poly(*p*-phenylene vinylene) Derivatives, 1259
Tang, X. See Li, Q., 854; Wei, J., 2071
Tanigawa, S. See Shimizu, Y., 2423
Tashiro, T. See Kumagai, H., 589
Tatsushima, T.
—; Ogata, N.; Nakane, K.; Ogihara, T.: Structure and Physical Properties of Cellulose Acetate Butyrate/Poly(butylene succinate) Blend, 400
Tavares, M. I. B. See da Silva, E. P., 740
Tayfur, M.
—; Güner, A.: Adsorption of Certain Amino Acids onto Crosslinked Diethylaminoethyl Dextran Microbeads, 1985
Teplyakov, V. V. See Kim, T.-J., 927
Teufel, L. See Kongdee, A., 1421
Thomas, S. See Idicula, M., 1699
Tock, R. W. See Subbiah, T., 557
Tokarev, I. See Voronov, S., 232
Tong, L. See Xu, Y., 2429
Tong, Y.-F. See Wen, H.-L., 489
Toppare, L. See Yildiz, H. B., 502
Torre, L. See Frulloni, E., 1756
Toshihiko, M. See Hu, W., 312
Trivedi, D. C. See Geetha, S., 2316
Trivedi, H. C. See Trivedi, J. H., 1855
Trivedi, J. H.
—; Kalia, K.; Patel, N. K.; Trivedi, H. C.: Graft Copolymerization of Sodium Salt of Partially Carboxymethylated Guar Gum with Methyl Methacrylate: An Examination of the Reaction Variables, 1855
Tsai, J.-S. See Wang, T.-L., 336
Tsai, Y. S. See Wang, Y. C., 2046
Tseng, C.-C. See Liu, J.-H., 1505
Tseng, C.-G. See Wang, T.-L., 336
Tsuji, H. See Fukuda, N., 190
Turner, C. See Abidi, N., 392
Tzai, G.-M. See Wang, H.-H., 2324

Uchida, T. See Liu, J., 1992
Uner, A. H. See Can, H. K., 2352
Ünver, A.
—; Dilsiz, N.; Volkan, M.; Akovalı, G.: Investigation of Acetyl Ferrocene Migration from Hydroxyl-Terminated Polybutadiene Based Elastomers by Means of Ultraviolet–Visible and Atomic Absorption Spectroscopic Techniques, 1654
Ustamehmetoğlu, B. See Kişkan, B., 1830; Kızılcan, N., 618
Üzüm, Ö. B.
—; Karadağ, E.: Equilibrium Swelling Studies of Highly Swollen Acrylamide/Mesaconic Acid Hydrogels, 2253

Valentín J. L.
—; Rodríguez, A.; Marcos-Fernández, A.; González, L.: Dicumyl Peroxide Cross-Linking of Nitrile Rubbers with Different Content in Acrylonitrile, 1
Varely, R. See Hussain, M., 112
Varsheny, V. K. See Khullar, R., 1477
Varvarenko, S. See Voronov, S., 232
Vasil'ev, V. G. See Lopatin, V. V., 1043
Vasudevan, T. See Shakkthivel, P., 1451
Vedrenne, P. See Richez, A., 2053
Venter, S. A. S.
—; Kunita, M. H.; Matos, R.; Nery, R. C.; Radovanovic, E.; Muniz, E. C.; Girotto, E. M.; Rubira, A. F.: Thermal and Scanning Electron Microscopy/Energy-Dispersive Spectroscopy Analysis of Styrene–Butadiene Rubber–Butadiene Rubber/Silicon Dioxide and Styrene–Butadiene Rubber–Butadiene Rubber Carbon Black–Silicon Dioxide Composites, 2273
Vijayalakshmi, S. P.
—; Chakraborty, J.; Madras, G.: Thermal and Microwave-Assisted Oxidative Degradation of Poly(ethylene oxide), 2090
Volkan, M. See Ünver, A., 1654
Voncina, B.
—; Le Marechal, A. M.: Grafting of Cotton with β-Cyclodextrin via Poly(carboxylic acid), 1323
Voronov, S.
—; Samaryk, V.; Roiter, Y.; Pionteck, J.; Pötschke, P.; Minko, S.; Tokarev, I.; Varvarenko, S.; Nosova, N.: Compatibilization of Polymer Blends with High-Molecular-Weight Peroxides, 232
Vouyovitch, L.
—; Flandin, L.; Merle, G.; Bessede, J.-L.; Alberola, N. D.: Influence of the Processing on the Completion of Curing in Epoxy-Based Composites, 1368

Wali, A. C. See Naidu, B. V. K., 1968
—; Naidu, B. V. K.; Mallikarjuna, N. N.; Sainkar, S. R.; Halligudi, S. B.; Aminabhavi, T. M.: Miscibility of Chitosan–Hydroxyethylcellulose Blends in Aqueous Acetic Acid Solutions at 35°C, 1996
Wan, H. M. See Zhang, X. H., 723
Wang, B.
—; Huang, W.; Yang, X.: Preparation and Recovery Properties of Homogeneous Modified Polysulfone Plate Affinity Membrane Chromatography with Thiohydroxy as Chelating Groups. I. Synthesis and Preparation of Plate Matrix Membrane, 2117
Wang, C. See Zhang, J., 883
Wang, C.-C.
—; Chen, C.-C.: Some Physical Properties of Various Amine-Pretreated Nomex Aramid Yarns, 70
Wang, C.-G. See Hou, C., 1017
Wang, C.-g. See Hou, C., 483; Hou, C., 1529
Wang, C.-S. See Hwang, H.-J., 2079
Wang, G. See Li, Q., 854
Wang, G.-L. See Su, Z.-P., 162
Wang, H. See Li, Z., 772
—; Zhao, T.; Yu, Y.: Synthesis of Bismaleimide-Modified Novolac Resin/Clay Nanocomposites Using *p*-Phenylenediamine as Swelling Agent, 466
Wang, H.-H.
—; Tzai, G.-M.; Chang, C.-C.: Alkali Reduction and Reactive Dye Dyeing of T/N Nonwoven

Fabrics Dipped into Silicon-Containing, Water-Borne Polyurethane, 2324
Wang, J. See Guo, W., 829; Zhao, J., 1011
Wang, J.-D. See Cao, L.-Q., 2392
Wang, J.-W.
—; Hon, M.-H.: Preparation of Poly(ethylene glycol)/Chitosan Membranes by a Glucose-Mediating Process and *In Vitro* Drug Release, 1083
Wang, Q. See Fan, L., 1625; Sun, J., 294
—; Du, Y.-m.; Fan, L.-h.: Properties of Chitosan/Poly(vinyl alcohol) Films for Drug-Controlled Release, 808
Wang, Q.-W. See Chen, L., 2163
Wang, T. See Liu, J., 1992
Wang, T.-L.
—; Tsai, J.-S.; Tseng, C.-G.: Synthesis and Characterization of Side-Chain Liquid-Crystalline Polyurethane Elastomers, 336
Wang, X. See Fan, L., 1625; Wei, J., 2071
—; Wang, Z.; Wu, Q.: Sharkskin Mechanism of High-Impact Polystyrene (HIPS) and Rheological Behavior of HIPS/TiO_2 Composites, 802
Wang, Y. See Cheng, B., 1847
—; Zhang, H.; Wu, Y.; Yang, J.; Zhang, L.: Preparation, Structure, and Properties of a Novel Rectorite/Styrene–Butadiene Copolymer Nanocomposite, 324
—; Zhang, H.; Wu, Y.; Yang, J.; Zhang, L.: Structure and Properties of Strain-Induced Crystallization Rubber–Clay Nanocomposites by Co-coagulating the Rubber Latex and Clay Aqueous Suspension, 318
Wang, Y. C.
—; Tsai, Y. S.; Lee, K. R.; Lai, J. Y.: Preparation and Pervaporation Performance of 3,3-Bis[4-(4-aminophenoxy)phenyl] Phthalide Based Polyimide Membranes, 2046
Wang, Y.-C. See Chen, L., 2163
Wang, Z. See Wang, X., 802; Yang, H., 2454; Yin, W., 583
Wariishi, H. See Kanie, O., 861
Watase, S. See Hirano, H., 508
Wazzan, A. A.
—; Al-Turaif, H. A.; Daous, M. A.: Influence of KOH Solution on the Tensile Strength and Chemical Stability of Carbon Fiber-Reinforced Epoxy Resin Composites, 1682
Wei, J.
—; Tang, X.; Wang, X.; Yan, J.: Pore Structure and Water-Swelling Behavior of Porous Resins Based on Methyl Acrylate and Different Divinylbenzene Isomers, 2071
Wei, P. See Li, Q., 854; Su, Z.-P., 162
Wen, H.-L.
—; Song, C.-S.; Tong, Y.-F.; Chen, L.; Liu, X.-L.: Synthesis and Properties of Poly(aryl ether sulfone ether ketone ketone) (PESEKK), 489
Wereley, N. M. See Choi, S. B., 1924
Wesslén, B. See Andersson, T., 1767; Ljungberg, N., 992
White, J. L. See Kim, I., 1875; Kim, Y., 1888
Wolkowicz, M. D. See Patham, B., 423
Wong, Y. W.
—; Leung, C. M.; Hui, N. M.; Chan, H. L. W.; Choy, C. L.: Temperature Effect on the Infrared Absorption of Ferroelectric Copolymer Poly(vinylidene fluoride-trifluoroethylene), 1662
Woo, W. B. See Kim, D. S., 1641
Wootthikanokkhan, J.
—; Santikunakorn, S.: Effects of Propionyl Content on the Morphology, Mechanical Properties, and Biodegradability of Esterified Cassava Starch/Polycaprolactone Blends, 2154
Wu, C. See Guo, W., 829
Wu, D.
—; Fu, R.; Yu, Z.: Organic and Carbon Aerogels from the NaOH-Catalyzed Polycondensation of Resorcinol-Furfural and Supercritical Drying in Ethanol, 1429
Wu, G. See Wu, T., 261
—; Lu, C.; Ling, L.; Hao, A.; He, F.: Influence of Tension on the Oxidative Stabilization Process of Polyacrylonitrile Fibers, 1029
Wu, J.
—; Pan, Q.; Rempel, G. L.: Solubility of Ethylene in Toluene and Toluene/Styrene–Butadiene Rubber Solutions, 645
Wu, L. See Guo, M., 2132; Li, F., 912; Sun, J., 294; Zhang, J., 883
Wu, N. See Gao, B., 714
Wu, Q. See Lu, J. Z., 93; Wang, X., 802; Wu, T., 261
Wu, T.
—; Li, Y.; Wu, Q.; Wu, G.; Tan, H.-M.: Study on the Nonisothermal Crystallization Process of mLLDPE/EVA Blends Using FTIR Micro-Spectroscopy, 261
Wu, W. See Hu, W., 312
Wu, Y. See Shen, Y., 814; Wang, Y., 318; Wang, Y., 324
Wu, Z. See Hu, W., 312
Wunder, S. L. See Debnath, S., 1564

Xi, F. See Tang, R., 1259
Xiao, C. See Huang, A., 2146
Xiao, W.
—; Yu, H.; Han, K.; Yu, M.: Study on PET Fiber Modified by Nanomaterials: Improvement of Dimensional Thermal Stability of PET Fiber by Forming PET/MMT Nanocomposites, 2247
Xiao, W.-Q. See Meng, F.-B., 625
Xiao-Gang, Z. See Abdiryim, T., 1630
Xie, D. See Xie, H.-Q., 1414; Yin, Y., 1398
—; Chung, I.; Puckett, A. D.; Mays, J. W.: Novel Biodegradable Amino Acid Containing Anhydride Oligomers for Orthopedic Applications, 1979
Xie, H.
—; Liu, B.; Sun, Q.; Yuan, Z.; Shen, J.; Cheng, R.: Cure Kinetic Study of Carbon Nanofibers/Epoxy Composites by Isothermal DSC, 329
Xie, H.-Q.
—; Liu, D.-G.; Xie, D.: Preparation, Characterization, and Some properties of Ionomers from a Sulfonated Styrene–Butadiene–Styrene Triblock Copolymer without Gelation, 1398
—; Zhang, S.; Xie, D.: An Efficient Way to Improve the Mechanical Properties of Polypropylene/Short Glass Fiber Composites, 1414
Xie, M. See Liu, X., 1824
Xin, L.-Y.
—; Zhang, X.-G.; Zhang, G.-Q.; Shen, C.-M.: Synthesis and Characterization of Aniline and *o*-Toluidine Conducting Copolymer Microtubes with the Template-Synthesis Method, 1539
Xing, F.
—; Cheng, G.; Yi, K.; Ma, L.: Nanoencapsulation of Capsaicin by Complex Coacervation of Gelatin, Acacia, and Tannins, 2225

Xiong, L. See Yu, W., 1003
Xiong, X. See Zhang, L., 961
Xu, Q.
—; Zhao, Y.: Supercritical CO_2–Assisted Synthesis and Characterization of a Polystyrene/Thermal Polyurethane Blend, 2016
Xu, S.-M. See Cao, L.-Q., 2392
Xu, X. See Tang, R., 1259; Zhang, L., 961
Xu, Y. See Meng, F.-B., 2021
—; Fang, Z.; Tong, L.: On Promoting Intercalation and Exfoliation of Bentonite in High-Density Polyethylene by Grafting Acrylic Acid, 2429
Xu, Z. See Yi, C., 824

Yağci, Y. See Yildiz, H. B., 502
Yamaguchi, K. See Sugimoto, M., 837
Yamaji, A. See Araki, W., 51
Yamamoto, T. See López-Rubio, A., 2192
Yan, F. See Zhou, J., 2336
Yan, J. See Wei, J., 2071
Yan, Y.
—; Zhao, Y.; Liu, M.: Influence of Ethylene Vinyl Acetate on the Spinnability and Mechanical Properties of Poly(propylene)/Zeolite-Ag Blend Fibers, 1460
Yang, C.
—; Liu, L.; Lu, Y.; He, L.; Zhang, W.; Zhang, L.: Preparation of $Tb(Pht)_3Phen$/Rubber Composites and Characterization of Their Fluorescent Properties, 20
Yang, C.-P.
—; Chen, Y.-C.: Organosoluble and Light-Colored Fluorinated Polyimides Based on 1,1-Bis[4-(4-amino-2-trifluoromethylphenoxy)phenyl]-1-phenylethane and Various Aromatic Dianhydrides, 2399
Yang, D,
—; Kumar, V.: Study of the Influence of Reaction Conditions on the Degree of Substitution, Intrinsic Viscosity, and Yield of Oxidized Cellulose Acetate by Factorial Experimental Design, 696
Yang, H. See Yin, W., 583
—; Yin, W.; Zhang, X.; Cai, Z.; Wang, Z.; Cheng, R.: Observation of the Concentric Diffractive Banding on the Spherulites of Poly(ethylene oxide) by a Dynamic Method, 2454
Yang, J. See Qi, Y., 846; Wang, Y., 318; Wang, Y., 324; Zeng, Z., 1930
Yang, M. See Liu, S., 2280
Yang, R.
—; Mather, R. R.; Fotheringham, A. F.: Processing, Structure, and Mechanical Properties of As-Spun Polypropylene Filaments—A Systematic Approach Using Factorial Design and Statistical Analysis, 144
Yang, X. See Wang, B., 2117
Yang, Y. See Karst, D., 416
Yao, D. See Nagarajan, P., 764
Yao, K. D. See Li, J. Z., 841
Yao, S.-J. See Cui, Z.-F., 1734
Yazicigil, Z. See Ahmetli, G., 253
Yeum, J. H. See Lyoo, W. S., 967
Yi, C.
—; Xu, Z.: Synthesis and Characterization of Thermosensitive Composite Microsphere Latex, 824
Yi, K. See Xing, F., 2225
Yi, M. H. See Choi, S. M., 2300
Yıldırım, H. See Öksüz, M., 1126
Yildiz, H. B.
—; Kiralp, S.; Toppare, L.; Yağci, Y.: Immobilization of Invertase in Conducting Polypyrrole/PMMA-*co*-PMTM Graft Copolymers, 502
Yilmaz, M.
—; Kusefoğlu, S. H.: Gelation of Soybean Oil With Polybutadiene, 2240
Yin, C. See Seeboth, A., 1789
Yin, W. See Yang, H., 2454
—; Yang, H.; Zhang, X.; Wang, Z.; Ding, Y.; Zhang, G.; Cheng, R.: Investigation of the Self-Association Behavior of a Thermosensitive Copolymer with Lower Critical Solubility Temperature near Human Heat by Dynamic Laser Light Scattering, 583
Yin, Y.
—; Li, J.; Liu, Y.; Li, Z.: Starch Crosslinked with Poly(vinyl alcohol) by Boric Acid, 1394
Ying, L. See Hou, C., 483
Yoo, D.-I. See Shin, Y., 2005
Yoo, J. H. See Nam, G. J., 1793
Yoon, J.-S. See Kim, M.-N., 936; Park, E.-S., 1064
Yoon, S. D. See Park, H. R., 650
Yoon, T. H. See Myung, B. Y., 1801
You, B. See Li, F., 912
Yu, G. See Tang, R., 1259
Yu, H. See Huang, X., 2360
Yu, M. See Xiao, W., 2247
Yu, W.
—; Xiong, L.: Effect of Various Morphology and Testing Conditions on Fiber Infrared Spectrum, 1003
Yu, X.-Y.
—; Zhang, Q.-X.; Jin, G.-X.; Hu, N.-H.: Molecular Structure of Metallocene Catalyst $Cp^{tt}2ZrCl_2$ and Structural Analysis of PE Catalyzed by $Cp^{tt}2ZrCl_2$, 169
Yu, Y. See Wang, H., 466
Yu, Z. See Wu, D., 1429
Yuan, L.
—; Kusuda, T.: Adsorption of Ammonium and Nitrate Ions by Poly(*N*-isopropylacrylamide) Gel and Poly(*N*-isopropylacrylamide-*co*-chlorophyllin) Gel in Different States, 2367
Yuan, Q.
—; Jiang, W.; An, L.; Christiansen, J. D.; Li, R. K. Y.: Competing Effect Between Filled Glass Bead and Induced β Crystal on the Tensile Properties of Polypropylene/Glass Bead Blends, 1729
Yuan, Y. See Zhang, J., 818
Yuan, Z. See Xie, H., 329
Yuen, C. W. M. See Jiang, S. Q., 919
Yusof, A. M. M. See Ismail, H., 2181

Zadhoush, A. See Haghighat, M., 2203
Zaharescu, T. See Budrugeac, P., 613
Zanetti, M. See Pizzi, A., 655
Zeng, Z. See Qi, Y., 846
—; Zhang, L.; Yang, J.; Chen, Y.: Photocuring Systems Composed of Vinyl Ether Terminated Polyurethane and Maleate, 1930
Zengin, H. B. See Boztuğ, A., 1635
Zhan, F. See Guo, M., 2132
Zhang, B.-Y. See He, X.-Z., 1204; Meng, F.-B., 625; Meng, F.-B., 2021
Zhang, G. See Yin, W., 583; Zhao, J., 1011
Zhang, G.-Q. See Xin, L.-Y., 1539
Zhang, H. See Wang, Y., 318; Wang, Y., 324
Zhang, H.-T. See Ai, Z.-Q., 1405
Zhang, J. See Debnath, S., 1564
—; Liu, C.; Shi, G.: Raman Spectroscopic Study on the Structural Changes of Polyaniline During Heating and Cooling Processes, 732
—; Shen, K.; Gao, Y.; Yuan, Y.: Mechanical Properties and Structure of High-Density

Polyethylene Samples Prepared by Injection Molding with Low-Frequency Vibration, 818
—; Wu, L.; Zhao, M.; Li, J.; Wang, C.: Effects of Nucleating Agents on Physical Properties of Poly(trimethylene terephthalate)/Glass-Fiber Composites, 883
Zhang, L. See Fan, L., 1625; Liu, G., 1146; Wang, Y., 318; Wang, Y., 324; Yang, C., 20; Zeng, Z., 1930
—; Ma, Z.; Xiong, X.; Xu, X.; Ma, R.; Li, Y.: Molecular Architectures of Four-Arm Star-shaped Styrene-butadiene Copolymer, 961
Zhang, Q. See Peng, Y., 1816
Zhang, Q.-X. See Yu, X.-Y., 169
Zhang, R. See Liu, Y., 2139
Zhang, S. See Xie, H.-Q., 1414
Zhang, W. See Hu, W., 312; Luo, W., 1341; Yang, C., 20
Zhang, X. See Yang, H., 2454; Yin, W., 583
Zhang, X.-G. See Xin, L.-Y., 1539
Zhang, X. H.
—; Wan, H. M.; Min, Y. Q.; Qi, G. R.: Novel Nitrogen-Containing Epoxy Resin. I. Synthetic Kinetics, 723
Zhang, Y. See Lv, Q., 2168; Su, Z.-P., 162
—; Huang, Y.; Mai, K.: Crystallization and Dynamic Mechanical Properties of Polypropylene/Polystyrene Blends Modified with Maleic Anhydride and Styrene, 2038
Zhao, D. See Liu, G., 1146
Zhao, J. See Ma, X., 1165
—; Guo, Z.; Liang, G.; Wang, J.; Zhang, G.: Enzyme-Mediated Grafting of Acrylamide to Ultrahigh Molecular Weight Polyethylene Fiber: A Novel Radical Initiation System, 1011
Zhao, M. See Zhang, J., 883
Zhao, T. See Wang, H., 466
Zhao, Y. See Xu, Q., 2016; Yan, Y., 1460
Zhao, Y.-P. See Chen, L., 2163
Zheng, J. See Shao, J., 1999
Zhou, J.
—; Yan, F.: Improvement of the Tribological Behavior of Ultra-High-Molecular-Weight Polyethylene by Incorporation of Poly(Phenyl *p*-Hydroxyzoate), 2336
Zhou, Q. See Shen, Y., 814
Zhou, Q.-L. See Ai, Z.-Q., 1405
Zhou, S. See Li, F., 912
Zhou, X.
—; Huang, Y.: Cellulose Derivative-based Cholesteric Networks, 1648
Zhu, H. See Lv, Q., 2168
Zhu, M.-F. See Huang, X., 2360
Zhu, S. See AlObaidi, F., 2212
Zhu, X. See Chen, G., 183
Zhuang, L. See Huang, A., 2146
Zhumagalieva, S. N.
—; Beisebekov, M. K.; Abilov, Z. A.: Immobilization of 2,5-Dimethyl-4-benzoyl-oxypiperidine Succinate over Polyacrylic Acid (PAA) Gels. I. Study of Interaction Between Linear and Network PAA with Succinate of 2,5-Dimethyl-4-benzoyl-oxypiperidine, 1183
—; Beisebekov, M. K.; Abilov, Z. A.: Immobilization of 2,5-Dimethyl-4-benzoyl-oxypiperidine Succinate over Polyacrylic Acid (PAA) Gels. II. Study of Quantitative Characteristics of Immobilization of Succinate of 2,5-Dimethyl-4-benzoyl-oxypiperidine over PAA, 1187

Journal of Applied Polymer Science

Subject Index to Volume 96

Accelerator, 2440
Acrylamide, 1011, 1783
Acrylic acid, 740, 2181, 2429
Acrylonitrile, 276
Acrylonitrile–butadiene rubber, 2181
Activated carbon hollow fibers, 294
Activation energy, 268, 276, 1377, 2090
Acylation reaction, 253
Additives, 2203
Adhesion, 772, 1138, 1801
Adhesives, 655, 1231, 1287, 1943
Adsorption, 44, 70, 385, 753, 841, 1985, 2367, 2423
Adsorption enthalpy, 841
Agglomerates, 802
Aging, 655, 1115, 1591, 1654, 2218
Alginate, 1625
Alkali reduction, 2324
Alkyd resins, 1170
Amino acid, 435, 1985
Amorphous, 70, 516
Amphiphilic, 29
Aniline, 841, 1483
Anionic dye, 2423
Anionic polymerization, 372, 927
Antimicrobial activity, 1095
Antiscalant, 1451
Antitumor activity FT-IR, 2352
Aromatic sulfonic acid, 2316
Atomic force microscopy (AFM), 605, 1410, 1573, 1992
Atom transfer radical polymerization (ATRP), 183
Azo polymers, 577

Barium titanate, 1443
Barrier, 2192
Beads, 407
Bentonite, 2429
BIMS, 443
Biocompatibility, 1095
Biodegradable, 190, 358, 400, 861, 1064, 1083, 1979, 2154
Biological application of polymers, 936
Biomaterials, 861, 1421
Biopolymers, 1267
1,1-bis(4-hydrophenyl)-1-phenylethan, 2399
4,4′-bis(phenoxy)diphenyl sulfone, 489
Blend fibers, 1625
Blends, 232, 301, 400, 423, 516, 537, 660, 673, 706, 1021, 1035, 1064, 1313, 1460, 1492, 1691, 1710, 1729, 1748, 1816, 1835, 1847, 1996, 2016, 2097, 2154, 2212, 2218
Block copolymers, 29, 460, 1573, 1875
Blowing agents, 1306
Bovine prethrombin-2, 1734
Branched, 2212, 2413
Breaking thread method, 905
Burn-rate catalyst, 1654

Calorimetry, 1914
Capsaicin, 2225
Carbon black, 443
Carbon hollow fibers, 294
Carbon nanofibers, 329
6-Carboxycellulose acetate, 696
Carboxy-functional acrylic copolymer, 1170
Carboxymethylation, 1477
Catalysis, 814
Catalysts, 979, 1429, 1584, 2287
Cationic dye, 2423
Cellulose, 1421
Cellulose acetate, 516
Centrifugation, 550
Chain, 732
Charge transport, 2344
Char yield, 854
Chemically modified chitosan, 2423
Chiral, 1204, 1505
Chitosan, 44, 86, 808, 867, 1083
Chlorinated polyethylene, 2218
Cholesteric liquid crystal, 1648
Cholesteric phase, 625
Chromatography, 1267, 2117
Clay, 318, 324, 466, 632, 1146, 1176, 1341, 1557, 1641
Cluster theory, 583
Coatings, 1467
Collagen, 557
Colloids, 655
Compatibility, 232, 992, 1394, 1414, 1492 1716
Compatibilizer, 905
Complex coacervation, 2225
Composites, 20, 93, 190, 379, 802, 861, 883, 1102, 1176, 1222, 1368, 1414, 1564, 1648, 1682, 1699, 1741, 1906, 2011, 2203, 2260, 2273, 2336
Compound, 294, 1126, 1557
Compression, 764, 2011
Compressive stress, 1924
Concrete, 1534
Conducting polymers, 502, 618, 685, 746, 814, 867, 894, 983, 1035, 1539, 1584, 1630, 1710, 1830, 1924, 2011
Cone calorimetry, 112
Conformational analysis, 2168
Conjugated polymers, 1211, 1259
Copolymerization, 483, 583, 618, 740, 753, 1306, 1505, 1930, 2139, 2163, 2174, 2352, 2425
Copolymer of acrylamide, 714
Copolymers, 1865
Core-shell polymers, 1992
Corrosion resistant coatings, 685
Costabilizers, 122
Cotton linters, 1477
Coupling efficiency, 93
CR-39, 740
Creep, 1043, 1231
Crosslinking, 392, 613, 732, 740, 808, 829, 927, 975, 1043, 1072, 1122, 1138, 1183, 1187, 1193, 1204, 1313, 1394, 1492, 1847, 1897, 2240, 2253, 2440
Cross-linking density, 1
Crystallization, 261, 883, 944, 1816, 2038
Crystal phase, 1675
Crystal structures, 169, 818, 1410, 2192
Curing of polymers, 175, 329, 660, 1368, 2079, 2287
Current, 1388
Cyanate ester, 632
Cyanoresin, 1035
Cyclic voltammetry, 685

Degradation, 1017, 1064, 1222, 1515, 1682, 1767, 1979, 2090, 2373
Degree of polymerization, 1605
Dense amorphous phase, 312
Density, 268, 1810, 2011, 2053
Dental polymers, 1564
Design of experiments, 122
Dextran, 2435
Dielectric properties, 37, 550, 1292, 1492, 2027, 2079
Diethylaminoethyl dextran, 1985
Differential scanning calorimetry (DSC), 70, 329, 336, 358, 400, 660, 1029, 1368, 1691, 1756, 1855, 1914, 1930
Diffraction, 1914
Diffusion, 345, 874, 1102, 1153, 1200, 1529, 1783, 1968, 2253, 2367
Diimide, 1122

Dimethylol propionic acid, 103
Diperiodatocuprate, 2139
Dispersions, 802, 1443
Drug delivery systems, 301, 523, 808, 1083, 1183, 1187
Drug release, 494
DSC, 312
Durability, 967
Dyes, 416
Dyes/pigments, 753, 1421, 1936, 2324
Dynamic laser light scattering, 583
Dynamic mechanical properties, 2260

EB-Irradiation, 1275
Elastomers, 336, 1204, 1398, 2203, 2273
Electrical conductivity, 638
Electrochemical polymerization, 685
Electroinitiated polymerization, 894
Electron holography, 1573
Electrorheological fluid, 1924
Electrospinning, 1388
Emulsion polymerization, 475, 824, 1405, 1950, 2053
Enamine, 829
Enzymes, 502, 814, 1011
Epoxide, 372
Epoxy resin, 112, 537, 550, 723
ESCA/XPS, 1682
ESR/EPR, 1211
Esteramide, 992
Esterification, 1584, 2154
Ethyl-cyanoethyl cellulose, 1648
Ethylene/vinyl acetate copolymer, 261
EVA, 613
EVOH copolymers, 2192
Extrusion, 213, 1789, 2230

Fabric wrinkle, 392
Factorial experimental design, 144, 696
Favorable interactions, 2064
Ferroelectricity, 1662
Fibers, 62, 93, 392, 483, 557, 919, 983, 1003, 1011, 1250, 1323, 1460, 1529, 1741, 2247, 2360
Filament mechanical properties, 144
Filament structural properties, 144
Fillers, 1550, 1824, 1906, 2011
Films, 808, 846, 1347, 1394, 1550, 1767
Flame retardance, 6, 162, 638, 854, 2287
Flip chip package, 175
Fluorescence, 20
Fluorinated-di(ether-amine), 2399
Fluoropolymers, 1467, 1662, 1801
Foam extrusion, 1793
Foams, 1405, 2053
Food packaging, 2192
Fracture, 51
Fracture toughness, 899

Free radical, 2240
Free volume, 638
Friction and wear behavior, 2336
Friedel–Crafts reaction, 2117
Frontal polymerization, 1756
FT-IR, 70, 392, 685, 1003, 1193, 1323, 1584, 1662, 1930, 1999
FTIR micro-spectroscopy, 261
Functionalization of polymers, 780, 936, 1789, 2174, 2344

Gas permeability, 318, 324, 927
Gelatin, 1625, 2225
Gelation, 655, 793, 1429
Gelation and biocidal properties, 1451
Gel permeation chromatography (GPC), 723
Gels, 1122, 2132, 2240, 2367
Geopolymer, 112
Glass transition, 70, 268, 1115, 1287, 2027
Glyoxal, 975
GPC, 961
Graded material, 550
Graft copolymers, 162, 232, 523, 772, 1011, 1064, 1405, 1855, 2392, 2429
Grafting, 452, 2316
Green wood gluing, 1231

Heat capacity, 2005
Heavy Metal Free Systems (HMFS), 122
Heteroatom-containing polymers, 77
High-density polyethylene (HDPE), 772, 818
High-performance liquid chromatography (HPLC), 200, 1477
High performance polymers, 570, 2079
H-NNR and IR spectroscopy, 77
Host–guest systems, 1323
HTPB, 1654
Hybrid calorimetry, 112
Hybrid materials, 1936
Hydantoin moieties, 1776
Hydrogels, 56, 183, 301, 780, 1138, 1153, 1183, 1187, 1734, 1783, 2132, 2163, 2253, 2392, 2435
Hydrolysis, 1544
Hydrophilic polymers, 2253, 2352
Hydrophobic association, 714
1-Hydroxyalkyl pyrrole, 1830
Hydroxyl, carboxyl side groups, 10
Hydroxypropylcellulose, 1914
Hyperbranched, 29, 1810

Imines, 1943
Immobilization, 1544
Immobilized metal affinity adsorption, 2174

Impact resistance, 1699, 2309
Infrared spectroscopy, 927, 1003, 1222, 1394, 1515, 1985
Inherent viscosity, 435
Initiators, 1943, 2139
Injection molding, 423, 883, 1126, 2377
Interesterification, 1170
Interfaces, 213, 1564, 2097
Interfacial tension, 905
Interpenetrating network (IPN), 867, 1487, 1968
Ion beam assisted deposition (IBAD), 1095
Ion exchangers, 1267
Ionic salt, 1388
Ionomers, 268, 577, 1398, 2021
IR, 1605
Irradiation, 1138
Isomer/isomerization, 577, 2071
Isophthaloyl chloride, 489

Kinetics, 660
Kinetics (polym.), 723, 912, 1017, 1146, 1591, 1641, 2373

Large spheres, 829
Latices, 494, 1550
LDPE, 1275
LDPE/PS blend, 905
Light-colored, 2399
Light-emitting diode (LED), 1259, 1335
Light scattering, 961
Liquid crystalline elastomers, 625
Liquid-crystalline polymer, 336, 1329, 2021
Lithography, 1619
Long aliphatic chain, 2423
Luminescence, 1259

Macromonomers, 56, 502
Macroporous polymers, 407, 2053
Magnetic polymers, 2174
Mapping, 1003
Matrix, 523, 1897, 2117
MDSC, 312
Mechanical properties, 1, 6, 190, 318, 358, 400, 508, 537, 613, 673, 818, 883, 1126, 1222, 1292, 1313, 1394, 1414, 1460, 1625, 1635, 1682, 1691, 1716, 1729, 1741, 1748, 1906, 1943, 2027, 2038, 2105, 2168, 2181, 2203, 2260, 2383, 2435, 2440
Melamine, 77
Melt index, 268
Melt vibration, 818
Membranes, 222, 516, 605, 780, 874, 944, 1115, 1200, 1377, 1667, 1847, 2046, 2117, 2146, 2344
Metallocene catalyst, 169, 1824, 2212
Metallocene linear low density polyethylene, 261

Metal-polymer complexes, 222, 1839
Methyl acrylate, 2139
Michael addition, 846
Microencapsulation, 1596
Microscopy, 1003
Microstructure, 281, 1999
Migration, 1654
Miscibility, 416, 1287, 1625, 1996
Mixing, 2280
Modeling, 62, 345, 605, 660, 808, 1059, 1102, 1244, 1756, 1950, 2230, 2373
Modification, 589, 919
Modified suspension polymerization, 2174
Modulus, 281, 1021
Moisture preservation, 2132
Molding, 2230
Molecular imprinting, 200, 650
Molecular orientation, 2377
Molecular recognition, 650
Molecular weight, 967
Molecular weight distribution, 1611
Molecular weight distribution/molar mass distribution, 1950
Monolayers, 1436
Monomers, 345, 475
Monte Carlo simulation, 483
Montmorillonite, 2247
Morphology, 162, 379, 423, 537, 550, 824, 944, 1003, 1436, 1487, 1550, 1596, 1667, 1716, 1816, 1824, 2005, 2181, 2192, 2360

Nanoclay, 443
Nanocomposites, 6, 281, 288, 318, 324, 443, 466, 595, 632, 746, 912, 1146, 1165, 1436, 1557, 1641, 1888, 1936, 1992, 2247, 2309, 2377, 2429
Nanoencapsulation, 2225
Nanofiber, 1388
Nanoporous, 1675
Nanotechnology, 460, 557, 1410
Nanotube, 1992
Natural rubber, 2218
Necking, 2105
Negative influence, 714
Networks, 1183, 1187, 1591, 1648
Neural networks, 1611
N-isopropylacrylamide, 2435
NMR, 475, 740, 1231, 1292, 1515, 1605, 1865
Nonformal dehyde, 975
Nucleation, 883
Number average molecular weight, 1611
N-vinylimidazole, 1783
Nylon, 62, 764, 983, 1936

Odd–even effect, 508
Off-flavor, 1767
Oil resistance, 1165, 2218
Oligomers, 780, 837, 1979
One-component epoxy resin, 1943
Optically active polymers, 435
Organic-organic mixture solubility parameter, 243
Organic sulfonic acids, 1630
Organoclay, 281, 793, 1072, 1329
Organophilicity, 1888
Organosoluble, 2399
Orientation, 2105
Oxidative degradation, 613
Oxidized cellulose acetate, 696
Oxidized cellulose esters, 696
Oxidized hollow fibers, 294

Palm oil, 1170
PAN copolymers, 243
PEDOT-PSS, 1710
PEG, 56
PEO, 1710
Pepsin, 1544
Permeation, 1200
Peroxidase, 1011
Peroxide, 2383
Pervaporation, 243
PET, 2247
Phase separation, 407, 944, 1487, 1667
Phase structure, 1460
pH condition, 867
Phenolic and carboxylic acid stabilizer, 1275
Photopolymerization, 912
Photoresists, 1505
pH sensitive, 86
Physical aging, 312
Physicomechanical properties, 874
PLA, 416
Plant oil, 2240
Plasma-enhanced chemical vapor deposition (PECVD), 1564
Plasticization, 992
Plastics, 2230
Platinum coordination, 10
Polarity, 1888
Polarizing efficiency, 967
Polyacrylonitrile, 294, 1579
Polyamide 6, 288
Poly(amide-imide)s, 435, 1776
Polyamides, 537, 673, 944, 1875, 2413
Polyamines, 1839
Polyaniline, 732, 867, 1035, 2316
Polybutadiene, 2240, 2446
Polybutadiene rubber, 1611
Polycarbazole, 894
Polycarbonates, 372, 2097, 2105
Polycondensation, 508, 570, 655
Polyco-toluidine, 1539
Polyelectrolytes, 1211, 1267, 1443, 1534, 2146
Polyesters, 416, 557, 570, 1515, 2021, 2154
Poly(ether ketones), 312
Polyethers, 837, 2139
Poly(ether sulfone ether ketone ketone), 489
Poly(ether sulfones), 2344
Polyethylene (PE), 155, 162, 169, 1176, 1193, 1564, 1691, 1748, 1767, 1824, 2212, 2383
Poly(hydroxyethyl methacrylate), 86
Polyimides, 570, 1619, 1801, 2046, 2300, 2399
Polyimines, 2413
Poly(lactic acid), 992
Polylactide, 416
Poly(L-lactide), 190
Polymer, 557
Polymer blends, 1573
Polymer composite materials, 899
Polymeric drug carriers, 10
Polymerization, 452, 489, 1341
Polymer organoclay, 1888
Polymer–solvent mixture, 1244
Poly(methylaniline), 1924
Poly(*N*-isopropylacrylamide), 1734
Polyolefins, 423
Poly(*o*-toluidine), 685, 1630
Poly(oxyalkylene)-amine, 29
Poly(phenyl *p*-hydroxyzoate), 2336
Polypropylene (PP), 144, 854, 936, 1021, 1126, 1414, 1460, 1557, 1729, 1793, 1906, 2038, 2260, 2360, 2377
Polypyrroles, 502, 618
Polysaccharides, 523, 2154
Polysilanes, 927
Polysiloxanes, 625, 846
Polystyrene, 253, 516, 673, 706, 824, 936, 1146, 1335, 1405, 1534, 1897, 2016, 2038, 2360
Polythioester, 508
Polythiophene, 746
Polyurethane ionomers, 103
Polyurethanes, 336, 385, 460, 577, 595, 874, 1231, 1357, 1596, 1641, 1930, 2324
Poly(vinylacetate), 1244
Poly(vinyl alcohol), 1914
Polyvinylamine, 861
Poly (vinyl chloride) (PVC), 122, 183, 213, 589, 638, 1347, 1635, 2181
Poly(vinylsulfonic acid) (PVS), 814
Positron annihiliation, 638
Potato starch, 452
Processing, 155, 1368, 1906
Propane sultone, 103
Protein refolding, 1734
Proteins, 1267
α-PVA/dye film, 967
PVC, 1710
Pyrolysis, 1429
Pyrrole, 1483

Quaternized copolymers, 2146

Radiation, 753, 1138, 1341, 1405, 1999
γ-Radiation, 1043, 1741
Radiation lamination, 772
Radiation processing, 613
Radical polymerization, 475, 1146, 1306, 1810
Raman spectroscopy, 732, 1992, 1999, 2377
Reaction kinetic, 253
Reactive blending, 155
Reactive extrusion, 1072, 1793, 1875
Reactive processing, 232, 1716, 1756
Reactive solvents, 77
Recovery, 764
Rectorite, 1165
Recycling, 1515, 1534, 1716
Redox polymers, 276, 618
Refractive index, 1996
Reinforcement, 213, 595, 1682, 1699, 2260
Relaxation, 37, 1043, 1102, 1591, 2027
Residual stresses, 175
Resins, 51, 329, 392, 618, 655, 793, 841, 1222, 1591, 1682, 1756, 2071, 2446
Rheological properties, 905
Rheology, 175, 379, 423, 466, 655, 706, 802, 1477, 1793, 1824, 1930
Ring-opening polymerization, 372
ROMP, 407
Rubber, 1, 6, 20, 324, 645, 1122, 1487, 2273, 2440
Rule of mixtures, 2203

SAXS, 169
SBR, 443
Scanning electron microscopy, 1451
Selectivity, 841, 1377, 1839
Self-assembly, 1436
Self-association, 583
Sensors, 475
Separation technique, 650, 2046, 2117
Sericin, 1421
Shelf-life time, 793
Shielding effectiveness, 2316
Silicas, 746, 1436, 2273
Silicone rubber, 155, 1095
Silicones, 494, 846, 1467
Silk, 1999
Slow release fertilizer, 2132
Sodium poly(styrenesulfonate), 1534
Sol–gel process, 1936
Solid-phase forming, 764
Solid-state polymerization, 1630, 2247
Solubility parameter, 416
Soluble polypyrrole, 1830
Solution polycondensation, 1776
Solution properties, 961, 1467, 1529, 1830, 2280
Spectrophotometric analyses, 1914
Spectroscopy, 1865
Spherulites, 818, 2454
Stabilization, 122, 1029, 1347
Starch, 1341
Star polymers, 2413
Star-shaped SBS, 961
Statistical analysis, 144
Stiffness, 2309
Stimuli-sensitive polymers, 301, 824, 1734, 2163, 2367
Stoichiometry, 780
Strain, 1635
Strain-induced crystallization rubber, 318
Strain rate, 899
Strength, 281, 1021, 1250, 1979
Stress, 1043, 1635
Strong anion, 714
Structure, 318, 1126, 1357, 1429, 1443, 1505, 1605, 1641, 2071, 2168, 2454
Structure-property relations, 37, 77, 489, 673, 1021, 1231, 1250
Sulfonate group, 56
Sulfonation, 1398
Superabsorbent, 1341
Supercritical CO_2, 2016
Supports, 1584, 1897
Surface coating, 1095
Surface modification, 829, 1421
Surface oxidation index, 1767
Surfaces, 213, 589, 919, 1287, 2097
Surfactants, 44, 103, 1467
Suspension polymerization, 407
Swelling, 56, 494, 1083, 1138, 1153, 1183, 1187, 1550, 1648, 1734, 1783, 2071, 2132, 2253, 2392
Swelling behavior, 86
Syndiotactic, 673, 1675
Synergism, 714, 854
Synthesis, 385, 723, 1017, 1357, 1443, 1505, 1539, 1630, 1830, 2016, 2212, 2300

Tannins, 2225
Temperature-sensitive, 2435
Templates, 1539
Tensile stress, 1924
Tension, 1029, 1789
Terephthaloyl chloride, 489
Ternary blends, 2064
TGA, 1675
Theory, 1810
Thermal degradation, 122
Thermal gravimetric analysis (TGA), 435
Thermal parameters, 1741
Thermal polyurethane, 2016
Thermal properties, 51, 112, 175, 508, 979, 1165, 1313, 1436, 1691, 1748, 2005, 2079, 2273, 2446
Thermal stability, 435, 2247
Thermodynamics, 645
Thermogravimetric analysis (TGA), 358, 772, 854, 1335, 1635, 1855, 1914, 2392
Thermoplastic elastomer, 155
Thermoplastic polyurethane, 1165
Thermoplastics, 93, 723
Thermosensitive copolymer, 583
Thermosets, 2079
Thermostability, 632
Thin films, 919, 1115
Titanium dioxide, 190
Torsion angle, 732
Toughness, 288, 632, 2446
Transamidation, 2413
Transmission electron microscopy (TEM), 1573
Transparency, 1619
Transport kinetics, 874
Triazine, 29
Triblock copolymers, 1398
Two-stage vulcanization, 1492

Ultra-high-molecular-weight polyethylene, 2336
Unsaturated polyester, 793
Unsteady flow, 802
UV curable, 846
UV-vis spectroscopy, 385, 685, 1654, 1789, 1839

Vanadium, 1483
Vapor-grown carbon fibers, 329
Viscoelastic properties, 51, 655, 764, 2105
Viscosity, 583, 706, 1059, 1244, 1477, 1996, 2280, 2373
Volume change, 372
Vulcanization, 2440

Waste, 753, 1405
Waste poly(propylene), 1741
Water-based paints, 103
Water-crosslinking, 2383
Water reducible coatings, 1170
Water-retention properties, 1625
Water-soluble polymers, 222, 814, 837, 1451, 2090, 2352, 2454
Wax, 1748
WAXD, 169
Weight average molecular weight, 1611
Wet spinning, 1529
Wet strength, 861
Wood–HDPE interfaces, 93

X-ray, 336, 1835, 1914
X-ray difraction, 1451

Yellowness, 122

Zeolites, 1377, 1968
Ziegler-natta polymerizations, 979